


Recessed downlight, GX5,3
Article no. 22008020

Light.
For Generations.



Tender
Deckeneinbauleuchte, chrom, square. In a compact design, for installation in tool-less rapid assembly systems. Lamp holder: GX5.3, Mounting method: Recessed mounting, Place of installation: Ceiling-mounted, Material: Cast iron / Glass, Degree of protection: according to DIN EN 60529 IP44, Protection class: (EN 61140) III, Voltage: 12V, Power: 50W, Amount of light sources / fittings: 1.0 Qty, Adjustability: Not adjustable, With control gear: No, control: Other.

Article data	
Article no.	22008020
GTIN	4250047781363
Short description	Recessed downlight, GX5,3
Material	Cast iron / Glass
Colour	Chrome
Type of surface	Glossy
Shape	Square
Outer diameter	105 mm
Built-in diameter	75 mm
Installation depth	50 mm
Length	105 mm
Width	105 mm
Hight	20 mm
Weight	0.440 kg

Recessed downlight, GX5,3

Article no. 22008020

Light.
For Generations.

Lighting technology	
Light colour	White
Light output	Direct
Light sharing	Symmetric

Operating technology of the luminaire	
System output	50 W
Voltage type	AC/DC
AC nominal voltage max	12 V
Frequenz max.	50 Hz
Lamp	LV halogen lamp
Lamp holder	GX5.3
Protection class	III
Degree of protection	IP44
Control	Depending on driver

Mounting technology	
Mounting method	Recessed mounting
Place of installation	Ceiling-mounted
Adjustability	Not adjustable
Further references	No mounting box No cover with thermal insulation material
Material cover	Glass transparent
Circlip	Without clip

Packing data	
Gross weight	0.489 kg
Length of packaging	115 mm
Packaging width	115 mm
Packaging height	80 mm
Disposal at end of life	<p>This product must not be disposed of with household waste. You are obliged, to dispose of such electrical waste separately.</p> <p>By disposing of electrical waste and other old or defective electronics separately, you support recycling or other forms of re-use. In that way you help to take care and to avoid that harmful substances get into the environment.</p>