

## **Recessed ceiling spot**

Article no. 33005223





## Tender

Square recessed ceiling light, ceiling cut-out Ø 68 mm, installation depth 65 mm, length 82 mm, width 82 mm, weight 0.320 kg, with rotationally symmetrical narrow-wide beam light distribution. Transparent glass cover, rated luminous flux 410 lm, rated wattage 1 x 6.6 W, warm white light color, most similar color temperature (CCT) 2,700 K, general color rendering index CRI > 80, housing material: stainless steel, color: stainless steel, permissible ambient temperature (ta): -20 °C - +25 °C, protection class (EN 61140): II, degree of protection (DIN EN 60529): IP54 when installed in closed ceilings. With electronic control gear, switchable.

Article data	
Article no.	33005223
GTIN	4250047782537
Short description	Recessed ceiling spot
Material	Stainless steel
Colour	Stainless steel
Type of surface	Matt
Shape	Square
Length	82 mm
Width	82 mm
Built-in diameter	68 mm
Installation depth	65 mm
Weight	0.320 kg
Conformance	CE, UKCA

All technical data as well as, weight and measurements are based on rated values and had been carefully prepared. We reserve the right to make technical changes which are are important in progressing. Product pictures are examples and can vary from the original. Subject to errors. Date 07.04.2025 Orders are placed under our general terms and conditions under https://www.brumberg.com/en/terms-and-conditions/general-terms-and-conditions-of-sale/



## **Recessed ceiling spot**

Article no. 33005223

Lighting technology	
Colour temperature	2.700 К
Light colour	White
Light output	Direct
Luminous flux	410 lm
System efficiency	62 lm/W
Colour rendering	CRI > 80
Reflector	High-gloss
Beam angle	38°
Light sharing	Symmetric
Adjustable color temperature	No

Operating technology of the luminaire	
System output	6.6 W
Voltage type	AC
AC nominal voltage max	220 V
Current	350 mA
Frequency max	50 Hz
Lamp	LED
Lamp holder	Without fitting
Protection class	I
Protection class on the ceiling side	IP20
Degree of protection	IP54
Control	on/off
Energy efficiency class	nicht erforderlich

Mounting technology	
Mounting method	Recessed mounting
Place of installation	Ceiling-mounted
Adjustability	Not adjustable
Further references	No cover with thermal insulation material
Material cover	Glass transparent

Packing data	
Gross weight	0.41 kg
Length of packaging	140 mm
Packaging width	110 mm
Packaging hight	120 mm
	This product must not be disposed of with household waste. You are obliged, to dispose of such electrical waste separately.
Disposal at end of life	By disposing of electrical waste and other old or defective electronics separately, you
	support recycling or other forms of re-use. In that way you help to take care and to avoid that
	harmful substances get into the environment.