


## P72-12 Flexible profile

Article no. 73753260





## Tender

Flexible profile, alu anodized. For optimal attachment of the profile this holders are suitable 53020000 53021000 53022260 53022000. With the use of profile covers 73431070 the additional mechanical protection and optimal light distribution can be achieved. The associated end cap set is under 53078260 available. Mounting method: Special profile, Material: Aluminium, dimensions profile: length: 100 mm x width: 20 mm x height: 3,3 mm

## **Product Benefits**

- For the design of organic shapes.
- Cover and profile can be bent together, please take into account possible difference in length.
- Half-round cover for a wide light emission.
- Up to 4 meters length in one piece.

(For deliveries beyond 2000 mm: please ask for delivery costs separately).

- Profile can also be used as a pendant variant.
- High flexibility, horizontal minimum bending radius of 500 mm.

Article data	
Article no.	73753260
GTIN	4251433914051
Series name	P72-12
Short description	Flexible profile
Material	Aluminium
Colour	Alu
Length	100 mm
Width	20 mm
Hight	3.3 mm
Weight	0.006 kg
Conformance	CE. UKCA



## P72-12 Flexible profile

Article no. 73753260

Packing data	
Gross weight	0.235 kg
Length of packaging	2,020 mm
Packaging width	45 mm
Packaging hight	45 mm
	Please note that the materials aluminium and PMMA or PC
	can expand differently with changes in temperature! At a
Note	temperature change of 10°C, the coefficient of expansion is approx.
Note	aluminium is approx. 0.7mm per metre, for plastic approx. 1.5mm per metre. This is
	not a defect in the product, this is a normal physical process.
	physical process.
	This product must not be disposed of with household waste. You are obliged, to dispose of
	such electrical waste separately.
Disposal at end of life	By disposing of electrical waste and other old or defective electronics separately, you
	support recycling or other forms of re-use. In that way you help to take care and to avoid that
	harmful substances get into the environment.