


MINI LED track spotlight

Article no. 88394177



Tender

Round LED track spotlight, rotatable and tiltable, DALI dimmable, height 200 mm, weight 0.839 kg, with rotationally symmetrical narrow-wide beam light distribution. Rated wattage 1 x 23 W, light color warm white, most similar color temperature (CCT) 2,700 K, general color rendering index CRI > 90, housing material: aluminum / glass / plastic, color: white, permissible ambient temperature (ta): -20 °C - +25 °C, protection class (EN 61140): I, degree of protection (DIN EN 60529): IP20. With electronic control gear, DALI dimmable.

| Article data | |
|-------------------|-----------------------------|
| Article no. | 88394177 |
| GTIN | 4251433980759 |
| Series name | MINI |
| Short description | LED track spotlight |
| Material | Aluminium / Glass / Plastic |
| Colour | White |
| Shape | Round |
| Length | 71 mm |
| Hight | 200 mm |
| Weight | 0.839 kg |
| Conformance | CE, UKCA |

MINI LED track spotlight

Article no. 88394177

| Lighting technology | |
|------------------------------|------------|
| Colour temperature | 2.700 K |
| Light colour | White |
| System efficiency | 23 lm/W |
| Colour rendering | CRI > 90 |
| Reflector | High-gloss |
| Light sharing | Symmetric |
| Adjustable color temperature | No |

| Operating technology of the luminaire | |
|---------------------------------------|--|
| System output | 24 W |
| Voltage type | AC |
| AC nominal voltage max | 230 V |
| Frequency max | 50 Hz |
| Lamp | LED |
| Lamp holder | Without fitting |
| Protection class | I |
| Degree of protection | IP20 |
| Control | DALI |
| Bulb change possible | The light source of this luminaire may only be replaced by the manufacturer or a service technician commissioned by him or a similarly qualified person. |
| Energy efficiency class | nicht erforderlich |

| Mounting technology | |
|-----------------------------|-------------------------------|
| Mounting method | Conductor rail mounting |
| Place of installation | Ceiling-mounted |
| Adjustability | Rotatable and adjustable head |
| Swivel angle | 180° |
| Rotation angle | 350° |
| Head adjustable angle | 90° |
| Suitable for through-wiring | No |

| Packing data | |
|-------------------------|--|
| Gross weight | 0.968 kg |
| Length of packaging | 295 mm |
| Packaging width | 120 mm |
| Packaging height | 170 mm |
| Disposal at end of life | <p>This product must not be disposed of with household waste. You are obliged, to dispose of such electrical waste separately.</p> <p>By disposing of electrical waste and other old or defective electronics separately, you support recycling or other forms of re-use. In that way you help to take care and to avoid that harmful substances get into the environment.</p> |

MINI LED track spotlight

Article no. 88394177

Optional accessories

Article no.: 81393170

Glare protection for spot MINI

https://www.brumberg.com/fileadmin/products/Datenblatt_81393170_2021_DE.pdf

Article no.: 81393180

Glare protection for spot MINI

https://www.brumberg.com/fileadmin/products/Datenblatt_81393180_2021_DE.pdf

Article no.: 81393171

Schade for spot MINI

https://www.brumberg.com/fileadmin/products/Datenblatt_81393171_2021_DE.pdf

Article no.: 81393181

Schade for spot MINI

https://www.brumberg.com/fileadmin/products/Datenblatt_81393181_2021_DE.pdf

Article no.: 81393182

Honeycomb grid for spot MINI

https://www.brumberg.com/fileadmin/products/Datenblatt_81393182_2021_DE.pdf