


LED power supply 24 V DC, on/off switchable
Article no. 17214000



Tender
LED power supply unit 24 V DC, switchable, black, rectangular. This power supply unit is protected by fuses against overvoltage and short circuits as well as thermal and electrical overload. The input and output terminals are suitable for cables with a cross-section of up to 1.5 mm². Material: Plastic, Protection class on room side: according to DIN EN 60529: IP20, Protection class: (EN 61140) II, Voltage: 24V, Power: 7.2 W, Dimmable: No, Type of dimming: Switchable.

Article data	
Article no.	17214000
GTIN	4250047774372
Short description	LED power supply 24 V DC, on/off switchable
Material	Plastic
Colour	Black
Shape	Rectangular
Length	68 mm
Width	35 mm
Hight	21 mm
Weight	0.038 kg
stamp	ENEC
Conformance	CE, UKCA

LED power supply 24 V DC, on/off switchable

Article no. 17214000

Operating technology of driver	
AC nominal voltage min	90 V
AC nominal voltage max	230 V
Frequency min	50 Hz
Frequency max	50 Hz
Protection class	II
Degree of protection	IP20
Power min	1 W
Power max.	7.2 W
Output_ripple_current	50
Starting current	
Suitable for emergency lighting	No
measure point (tc)	75 °C
Power factor	0.4
Output voltage max	24.00 V
Control	on/off
Number of poles	2
Flicker-free	Yes
Environment temperature (ta)	0°C up to 40°C
Measure point (tc)	max. +75 °C
Average nominal lifespan	35000 h

Packing data	
Gross weight	0.051 kg
Length of packaging	45 mm
Packaging width	40 mm
Packaging height	80 mm
Disposal at end of life	<p>This product must not be disposed of with household waste. You are obliged, to dispose of such electrical waste separately.</p> <p>By disposing of electrical waste and other old or defective electronics separately, you support recycling or other forms of re-use. In that way you help to take care and to avoid that harmful substances get into the environment.</p>