


**RED**[®]**ÜBERZEUGT. EINFACH.**

Baupendel ALL-IN-ONE mit LED-Lampe 12 W 4000 K



Leistungsmerkmale

Das RED Baupendel ALL-IN-ONE kann durch die praktische Push-down Klemme völlig werkzeugfrei angeschlossen werden.

Durch den Einsatz besonders effizienter LEDs wird jeder Raum mit weit über 1000 Lumen aus nur 12 Watt hell, energiesparend und umweltfreundlich ausgeleuchtet.

DEHA-Nummer

6502238

Artikelnummer

5140-10-0004

EAN

4046725400431


Kennzeichnung

W
12**IP**
20**lm**
1.155**V**
220-240**K**
4.000**CRI**
>80**MORE**
RED
LESS
PLASTIC

Baupendel ALL-IN-ONE mit LED-Lampe 12 W 4000 K


Allgemeine Daten

Merkmale	
Leuchtmittel	LED nicht austauschbar
Lichtstrom	>1155 lm
Abstrahlwinkel	200°
Farbtemperatur	4000 K
Lichtfarbe	neutralweiß
Farbwiedergabeindex	>80 Ra
Eingangsspannung	220-240 V AC
Leistung	12 W
Powerfaktor	>0,9
Lebensdauer	>25.000 h
Schaltzyklen	>15.000
Abmessungen Leuchtmittel	130x60 mm
Zuleitung	15 cm, 2x0,75 mm ²
Anschlussart	Push-Down-Anschlussklemme
Befestigungsart	Aufhängeöse
Material	Aluminium und Kunststoff, bruchsicher
Gehäusefarbe	Weiß
Schutzklasse	II
Schutzart	IP20



Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
6502238	5140-10-0004	5140-10-0004	4046725400431	1 Stück

**RED**[®]**SIMPLY. CONVINCING.**Construction pendulum with integrated LED lamp
12 W 4000 K plug-in terminal**Performance features**

The RED construction pendulum ALL-IN-ONE can be connected through the practical push-down clamp completely tool-free. By using particularly efficient LEDs, any room with well over 1000 lumens from just 12 Watt bright, energy-saving and environmentally friendly illuminated. The cable has a length of 15 cm 2x0.75 mm².

DEHA number

6502238

Item number

5140-10-0004

EAN

4046725400431

label**W**
12**IP**
20**lm**
1.155**V**
220-240**K**
4.000**CRI**
>80**MORE**
RED
LESS
PLASTIC

RED[®]

SIMPLY. CONVINCING.


Construction pendulum with integrated LED lamp 12 W 4000 K plug-in terminal

Technical Data

Features	
Input voltage	220-240 V AC 50/60 Hz
Power	12 W
Luminous flux	1155 lm
Light colour	4000 K
colour rendering	> 80Ra
Power factor	> 0.9
Color	white
Dimensions of the lamp	130x60 mm
	LED light source cannot be replaced with lamps.
Nominal voltage	220 - 240 V
Light colour	white Type of wiring termination
Number of poles	2 Connection type plug-in terminal.

Application

Ordering data



Order Data

DEHA no	Type	Item number	EAN	VPE
6502238	5140-10-0004	5140-10-0004	4046725400431	1 Piece

Subject to change w/o notice

Verpackungsregisternr. DE3513737456573; WEEE-Reg.-Nr. DE 89717721

DEHA Elektrohandelsgesellschaft mbH & Co.KG, Weilimdorfer Str. 74/2, 70839 Gerlingen, Germany

www.deha.de
www.wir-sind-red.de

2 (GB)