




Abstandschelle mit Langloch, 30-38 mm,
ohne FE, Stahl galv. verzinkt, M32



Leistungsmerkmale

Ein besonderes Kennzeichen ist die sehr schnelle Rohr- und Leitungsverlegung ohne Demontage der Schellen, bedingt durch die schwenkbaren Schenkel. Die Abstandschellen sind für die Befestigung von Leitungen, Kabeln sowie Leerrohren geeignet.

DEHA-Nummer

6539167

Artikelnummer

2110-40-0054

EAN

4046725400714

Kennzeichnung

Abstandschelle mit Langloch, 30-38 mm,
ohne FE, Stahl galv. verzinkt, M32

Allgemeine Daten

Merkmale	
Nenn Durchmesser	32 mm
Durchmesser	30 - 38 mm
Anzahl der Kabel/Rohre	1
Abstand zur Wand	ja
Ausführung	geschlossen
Werkstoff	Stahl
Oberfläche	galvanisch/elektrolytisch verzinkt
Geeignet im Brandschutzbereich	ja



Produktabbildungen

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
6539167	BFM-MAS M32	2110-40-0054	4046725400714	25 Stück



Spacer clamps with elongated hole, 30-38 mm,
without FE, steel galvanized, M132



Performance features

A special feature is the very quick laying of pipes and cables without dismantling the clamps, thanks to the pivoting legs. The spacer clamps are suitable for attaching lines, cables and empty pipes.

DEHA number

6539167

Item number

2110-40-0054

EAN

4046725400714

label

Spacer clamps with elongated hole, 30-38 mm,
without FE, steel galvanized, M132

General Data

Features	
Nominal diameter	32 mm
Diameter	30 - 38 mm
Number of cables/conduits	1
Distance to the wall	yes
Model	Closed
Material	Steel
Surface protection	Galvanic/electrolytic zinc plated
Suitable in fire resistance areas	yes

Product pictures

Order Data

DEHA no	Type	Item number	EAN	VPE
6539167	BFM-MAS M32	2110-40-0054	4046725400714	25 Piece

Subject to change w/o notice

Verpackungsregisternr. DE3513737456573; WEEE-Reg.-Nr. DE 89717721

DEHA Elektrohandels-gesellschaft mbH & Co.KG, Weilimdorfer Str. 74/2, 70839 Gerlingen, Germany

www.deha.de

www.wir-sind-red.de