



Pony Testing International Group

Report No.: MQI449BG2496267U3

MSDS Report



Sample Name
& Model

Li-ion battery DCB180,DCB181

Applicant

Shenzhen CBT Enterprise Co., Ltd

Address

Floor 3-01, Fukang Technology Building, Building 8, Fukang
Business Plaza, Fukang Community, Longhua Street,
Longhua District, Shenzhen, China



No.: MQI449BG2496267U3
Code: NrKoLkn3



北京实验室: (010) 83055900	苏州实验室: (0512) 69256670	成都测试中心: (028) 87702708	宁波实验室: (8574) 87736499
北京谱尼科技中心: (010) 80415561	佛山实验室: (0757) 89967999	贵阳实验室: (8551) 85221800	合肥实验室: (8551) 63843474
北京谱尼计量检测: (010) 80492998	杭州实验室: (0571) 66844188	上海实验室: (021) 64851999	深圳实验室: (8755) 26050909
青岛实验室: (0532) 86705666	石家庄实验室: (0311) 85376660	苏州实验室: (0512) 62197900	深圳谱尼计量检测: (0755) 2028309-940
天津实验室: (022) 23647468	西安实验室: (029) 89496745	苏州汽车检测实验室/汽车安全检测	湖北武汉谱尼: (0750) 27673339
长春实验室: (0431) 86590198	厦门实验室: (0592) 88123382	无锡实验室: (0510) 62997900	广州实验室: (020) 89224310
沈阳实验室: (024) 23811886	郑州实验室: (0371) 85720073	武汉实验室: (027) 83997123	南宁实验室: (0771) 5518618
大连实验室: (0411) 87336618	呼和浩特实验室: (0471) 3450025	武汉办事处: (027) 82318175	厦门实验室: (0592) 5568048
哈尔滨实验室: (8451) 58427250	成都实验室: (028) 87702708	杭州实验室: (8571) 8719096	

声明 Statement

1. 本证明/报告的结论仅对委托方所送样品负责。
The conclusion of the certificate/report is responsible for the provided sample only.
2. 委托方必须如实提供样品, 申报和声明资料, 并保证与实际相符。否则由委托方承担由此导致的全部后果和责任。
The applicant shall provide accurately and truly the description and statement of the sample, shall guarantee to match the sample and real situation which they provided and declared. Otherwise the application shall bear any relevant consequences and responsibility.
3. 如委托方提供的样品及相关资料存在虚假、伪造等情形, 所造成的全部后果和责任由委托方承担。
In case the sample and documents provided involved in the situation of fake and forgery, any consequences and responsibility caused by this shall be undertaken by applicant.
4. 本证明/报告私自转让、盗用、冒用、涂改, 未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效, 本单位将对上述行为追究其相应的法律责任。
The certificate/report is invalid in case of illegal transfer, embezzlement, imposture, modification or any altering, reproducing except in full, without approval of PONY. PONY shall investigate and affix the applicant's legal liability accordingly.
5. 本证明/报告不考虑国家及经营人差异。
The certificate/report takes no account of the differences of countries and applicants.
6. 本单位有权在完成证明/报告后处理委托方所送样品。
PONY has the right to dispose the provided sample after approval of the certificate/report.

▲ 防伪说明:

- (1) 报告编号是唯一的;
- (2) 报告采用特制防伪纸张印制, 纸张表面带有“PONY”防伪纹路, 该防伪纹路不支持复印, 即复印件不会带有“PONY”防伪纹路;
- (3) 报告采用的防伪纸张内标亦加带有高科技“PONY”防伪水印, 只有在验钞机等紫外线照射下方可显出无色荧光防伪字样。



全国服务热线
400-819-5688

WWW.PONYTEST.COM



集团微信公众号



集团微信视频号

北京实验室: (010) 83055000	郑州实验室: (0371) 69350670	成都谱尼计量实验室: (028) 87702708	宁波实验室: (0574) 87736499
北京谱尼科技公司: (010) 80415661	邯郸实验室: (0371) 80967099	贵州实验室: (0851) 85221000	合肥实验室: (0551) 63843474
北京谱尼计量实验室: (010) 82492998	新疆实验室: (0991) 6684186	上海实验室: (021) 64851999	深圳实验室: (0755) 26050909
青岛实验室: (0532) 88706866	石家庄实验室: (0311) 85376660	苏州实验室: (0512) 62997900	深圳谱尼检测: (0755) 26050909-846
天津实验室: (022) 23607888	西安实验室: (029) 89608785	苏州汽车座椅实验室及儿童安全座椅: (0512) 62997900	谱尼深圳通测: (0755) 27673339
长春实验室: (0431) 80530198	西安谱尼检测科技有限公司: (029) 81123093	福建实验室: (0512) 62997900	广州实验室: (020) 89224310
沈阳实验室: (024) 22811886	西安谱尼检测科技有限公司: (029) 85729073	武汉实验室: (027) 83997127	南宁实验室: (0771) 5518818
大连实验室: (0411) 87336618	呼和浩特实验室: (0471) 3450025	武汉车附所: (027) 82318175	厦门实验室: (0592) 5568048
哈尔滨实验室: (0451) 58627755	成都实验室: (028) 87702708	杭州实验室: (0571) 87219096	



Pony Testing International Group

Report No.: MQI449BG2496267U3 Date: 2023-01-03 Page 1 of 10

Material Safety Data Sheet

Reference to ST/SG/AC.10/30/Rev.9 (GHS)

Section 1 - Chemical Product and Company Identification

Chemical Product Identification

Sample Name: Li-ion battery

Sample Model: DCB180,DCB181

Recommended Uses: N/A

Restrictions on Use: N/A

Supplier Name: Jiangsu Chuangyou Jia New Energy Technology Co., Ltd

Address: No.6, Xinye Road, Ningjiang Industrial Park, Suining County, Xuzhou City

Phone Number: 0755-27222939

FAX: /

E-mail: sales06@cbtpower.com

Emergency Phone Number: 13823770987

Section 2 - Hazards Identification

Emergency overview: This product is a battery. Intended use of the product should not result in exposure to the chemical substance. In case of rupture the below hazards exist.

Classification according to GHS

Acute toxicity, oral (4)

Skin corrosion/irritation (2)

Serious eye damage/eye irritation (2A)

Specific target organ toxicity, single exposure; Respiratory tract irritation (3)

Label elements

Hazard pictogram(s):



Signal word:

Warning

Hazard statement(s):

H302 Harmful if swallowed

H315 Causes skin irritation

H319 Causes serious eye irritation

H335 May cause respiratory irritation

PONY 谱尼测试
Pony Testing International Group

Hotline 400-819-5688 www.ponytest.com

Pony Testing Group Shenzhen Co., Ltd.
Address: T3 of Hedding 2, Building 1, Ninkoujiang Industrial Park, Yueguo
Road, Qianhu Community, Xixun District, Shenzhen Guangdong, China
Phone: 0755-26102020

北京实验室: (010) 83055000 杭州实验室: (0571) 69350678 成都研发中心: (028) 87702708 宁波实验室: (8674) 87734499
北京谱尼科技有限公司: (010) 80415661 南京谱尼检测有限公司: (025) 80961099 贵州实验室: (0851) 85221800 合肥实验室: (8551) 63843474
北京谱尼检测中心: (010) 82802998 新疆实验室: (0991) 6684186 上海实验室: (021) 64851999 深圳实验室: (8551) 26050909
青岛实验室: (0532) 88708866 石家庄实验室: (0311) 85376560 苏州实验室: (0512) 62997900 深圳谱尼检测中心: (0755) 26080096
天津实验室: (022) 23637888 西安实验室: (029) 69608785 苏州汽车检测实验室: 苏州谱尼检测有限公司 谱尼检测(惠州): (0752) 21673339
珠海实验室: (0431) 80530196 内蒙古谱尼检测有限公司: (029) 8152009 威海实验室: (0512) 62197900 广州实验室: (020) 89224310
沈阳实验室: (024) 23811886 河南谱尼检测有限公司: (0391) 8079079 武汉实验室: (027) 83997127 南宁实验室: (8771) 6518818
无锡实验室: (0411) 87236618 呼和浩特实验室: (0471) 3450025 武汉检测所: (027) 82318178 厦门实验室: (8592) 5568048
哈尔滨实验室: (0451) 58627755 成都实验室: (028) 87702708 杭州实验室: (0571) 87219896



微信扫码订标书 微信扫码服务号



Pony Testing International Group

Report No.: MQI449BG2496267U3 Date: 2023-01-03 Page 2 of 10

Precautionary statement(s):

Prevention:

- P264 Wash skin and clothing thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves, protective clothing, eye protection, face protection.
- P261 Avoid breathing dust, fume, gas, mist, vapours, spray.
- P271 Use only outdoors or in a well-ventilated area.

Response:

- P301 + P312 IF SWALLOWED: Call a POISON CENTER if you feel unwell.
- P330 Rinse mouth.
- P302 + P352 IF ON SKIN: Wash with plenty water.
- P321 Specific treatment (See additional emergency instructions).
- P333 + P313 If skin irritation or rash occurs: Get medical advice.
- P362 + P364 Take off contaminated clothing and wash it before reuse.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337 + P313 if eye irritation persists: Get medical advice.
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a POISON CENTER, if you feel unwell.

Storage

- P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.

Disposal:

- P501 Send contents to approved waste treatment plants.

Other hazards

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11

Environmental hazards: See Section 12

Section 3 – Composition/Information on Ingredients

Chemical characterization: Mixture

Chemical Composition	CAS No.	EC#	Weight (%)
Cobaltate, lithium	12190-79-3	235-362-0	20-60
Lithium manganese oxide	12057-17-9	601-724-5	
Cobalt lithium manganese nickel oxide	182442-95-1	695-690-9	

PONY 谱尼测试
Pony Testing International Group

Hotline 400-819-5688 www.ponytest.com

Pony Testing Group Shenzhen Co., Ltd.
Address: 1/F of Building 2, Building 1, Yixi Building Cultural Park, Yixi
Road, Qianhu Community, Shennan District, Shenzhen, Guangdong, China
Phone: 0755-26199999

北京实验室: (810) 81055010 杭州实验室: (0371) 69350670 成都实验室: (028) 87702708 宁波实验室: (0574) 87736499
北京谱尼检测公司: (010) 80410661 南京实验室: (025) 85221000 常州实验室: (0519) 89221000 合肥实验室: (0551) 62843674
北京谱尼检测分公司: (010) 82492998 天津实验室: (022) 23497888 上海实验室: (021) 64851999 深圳实验室: (0755) 26050909
青岛实验室: (0532) 88706856 石家庄实验室: (0311) 85176660 苏州实验室: (0512) 62997900 深圳谱尼检测公司: (0755) 26008966
天津实验室: (022) 23497888 西安实验室: (029) 89608785 苏州汽车碰撞实验室及儿童安全座椅 谱尼深圳通瑞: (0755) 27673339
长春实验室: (0431) 80530198 宁波谱尼检测分公司: (0574) 8103093 无锡实验室: (0510) 42997900 广州实验室: (020) 89224318
沈阳实验室: (024) 23818856 宁波谱尼检测分公司: (0574) 8103093 武汉实验室: (027) 83991127 南宁实验室: (0771) 5518818
大连实验室: (0411) 87336618 呼和浩特实验室: (0471) 3450025 武汉检测所: (027) 82318170 厦门实验室: (0592) 5568848
哈尔滨实验室: (0451) 58627755 成都实验室: (028) 87702708 杭州实验室: (0571) 87219096



微信扫一扫 查看详情



Pony Testing International Group

Report No.: MQI449BG2496267U3 Date: 2023-01-03 Page 3 of 10

Aluminium	7429-90-5	231-072-3	1-10
Graphite	7782-42-5	231-955-3	10-30
Carbon	7440-44-0	231-153-3	
Copper	7440-50-8	231-159-6	5-10
Organic electrolyte	---	---	5-25

Section 4 - First Aid Measures

Description of first aid measures

General information No special measures required.

After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders: No data available.

Most important symptoms/effects, acute and delayed: No data available.

Indication of immediate medical attention and special treatment needed: Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable extinguishing media:

Small Fire: Dry chemical, CO₂, water spray or regular foam. Large Fire: Water spray, fog or regular foam. Move containers from fire area if you can do it without risk.

Unsuitable extinguishing media:

No data available.

Specific Hazards arising from the chemical:

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation.

PONY 谱尼测试
Pony Testing International Group

Hotline 400-819-5688 www.ponytest.com

Pony Testing Group Shenzhen Co., Ltd.
Address: 3/F of Building 3, Houbing 3, Xixiangmiao Industrial Park, Yixiang
Road, Qixia Community, Baoan District, Shenzhen, Guangdong, China
Phone: 8775-2676999

北京分公司: (010) 81055000 杭州分公司: (0371) 69350670 成都研发中心: (028) 87702708 宁波分公司: (0574) 87736499
北京理化检测中心: (010) 80418661 常州分公司: (0519) 80967099 贵州分公司: (0851) 85221800 合肥分公司: (0551) 63843474
北京环境检测中心: (010) 82692998 新建分公司: (0991) 66484186 上海分公司: (021) 64851999 深圳分公司: (0755) 26050909
青岛分公司: (0532) 88708866 石家庄分公司: (0311) 85376660 苏州分公司: (0512) 62997900 深圳检测中心: (0755) 26000066
天津分公司: (022) 23682888 西安分公司: (029) 69608785 苏州汽车检测实验室: 苏州汽车检测实验室: (0512) 27673339
长春分公司: (0431) 00330196 成都分公司: (028) 87702708 成都分公司: (0512) 62997900 广州分公司: (020) 89224310
沈阳分公司: (024) 23811886 成都分公司: (028) 87702708 武汉分公司: (027) 83997127 南宁分公司: (0771) 5518818
无锡分公司: (0411) 8236618 呼和浩特分公司: (0471) 3450025 武汉分公司: (027) 82318170 厦门分公司: (0592) 5566048
哈尔滨分公司: (0451) 58627755 成都分公司: (028) 87702708 杭州分公司: (0571) 87219896



微信扫码加好友 微信扫码加好友



Pony Testing International Group

Report No.: MQI449BG2496267U3 Date: 2023-01-03 Page 4 of 10

Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature (>150°C (302°F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in close proximity.

Specific protective actions for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

Section 6 - Accidental Release Measures

Personal precautions:

As an immediate precautionary measure, isolate spill or leak area for at least 25 meters (75 feet) in all directions. Keep unauthorized personnel away. Stay upwind, uphill and/or upstream. Ventilate closed spaces before entering. Large Spill: Consider initial downwind evacuation for at least 100 meters (330 feet).

Protective equipment:

No data available.

Emergency procedures:

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Absorb with earth, sand or other non-combustible material. Leaking batteries and contaminated absorbent material should be placed in metal containers.

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and materials for containment and cleaning up:

For all waste handling must refer to United Nations, National and Local Regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 - Handling and Storage

Precautions for safe handling:

Avoid short circuiting the battery. Avoid mechanical damage of the battery. Do not open or disassemble. Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.

Conditions for safe storage, including any incompatibilities:

PONY 谱尼测试
Pony Testing International Group

Hotline 400-819-5688 www.ponytest.com

Pony Testing Group Shenzhen Co., Ltd.
Address: 5/F of Building 7, Building 1, Shouyong Industrial Park, Yonghe
Road, (Shenzhen) Community, Bantian District, Shenzhen, Guangdong, China
Phone: 0755-26106009

北京实验室: (010) 83055000	杭州实验室: (0371) 69355470	安徽检测研究院: (025) 87702708	宁波实验室: (0574) 87736499
北京谱尼检测公司: (010) 80415661	宁波检测研究院: (0375) 80967099	贵州实验室: (0851) 85221000	合肥实验室: (0551) 63843474
成都谱尼检测中心: (010) 82692998	新疆实验室: (0991) 46684184	上海实验室: (021) 64801999	深圳实验室: (0755) 26050909
青岛实验室: (8632) 08706866	内蒙古实验室: (0311) 85376660	苏州实验室: (0512) 62997900	深圳谱尼检测中心: (0755) 26090048
天津实验室: (022) 23407888	西安实验室: (029) 89608785	惠州汽车检测研究院及儿童安全座椅	珠海谱尼检测: (0756) 27673339
长春实验室: (0431) 86301190	宁波检测研究院: (029) 86123000	福建实验室: (0512) 62997900	广州实验室: (020) 89224310
沈阳实验室: (024) 22611886	中国检测研究院: (020) 82729070	武汉实验室: (027) 81997127	西安实验室: (0271) 5518818
大连实验室: (0411) 87336618	呼和浩特实验室: (0471) 3450025	武汉研究院: (027) 82318175	厦门实验室: (0592) 5568848
哈尔滨实验室: (0451) 58827755	成都实验室: (028) 7702708	杭州实验室: (0571) 87219096	



集团微信订阅号 集团微信服务号



Pony Testing International Group

Report No.: MQI449BG2496267U3 Date: 2023-01-03 Page 5 of 10

Store in a cool, dry, well-ventilated place. Keep away from heat, avoiding the long time of sunlight.

Section 8 - Exposure Controls/Personal Protection

Control parameters

CAS No.	ACGIH	NIOSH	OSHA
12190-79-3	N/A	N/A	N/A
12057-17-9	N/A	N/A	N/A
182442-95-1	N/A	N/A	N/A
7429-90-5	TLV-TWA 1mg/m ³	REL-TWA 2mg/m ³ REL-TWA 5mg/m ³ REL-TWA 10mg/m ³	PEL-TWA 5mg/m ³ PEL-TWA 15mg/m ³
7782-42-5	TLV-TWA 2mg/m ³	REL-TWA 2.5mg/m ³	PEL-TWA 15mppcf PEL-TWA 20mppcf
7440-44-0	N/A	N/A	PEL-TWA 5mg/m ³ PEL-TWA 15mg/m ³
7440-50-8	TLV-TWA 0.2mg/m ³ TLV-TWA 1mg/m ³	REL-TWA 1mg/m ³ REL-TWA 0.1mg/m ³	PEL-TWA 0.1mg/m ³ PEL-TWA 1mg/m ³

Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal Protective Equipment:

Respiratory protection: Wear suitable protective mask. For a large large number of battery leakages, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Eye Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

Section 9 - Physical and Chemical Properties

PONY 谱尼测试
Pony Testing International Group
Hotline 400-819-5688 www.ponytest.com

Pony Testing Group Shenzhen Co., Ltd.
Address: 1/F of Building 2, Building 1, Nianhuoding Industrial Park, Yonghe Road, Qixia Community, Bama District, Shenzhen, Guangdong, China
Phone: 0755-26616699

北京实验室: (010) 83651000 杭州实验室: (0571) 69350673 合肥实验室: (026) 87702708 宁波实验室: (0574) 87796499
北京谱尼检测公司: (010) 80415665 青岛实验室: (0532) 88706856 常州实验室: (0512) 82997900 深圳实验室: (0755) 26690966
北京谱尼检测集团: (010) 82492998 天津实验室: (022) 23607888 苏州实验室: (0512) 62997900 深圳谱尼检测集团: (0755) 26690966
青岛实验室: (0532) 88706856 石家庄实验室: (0311) 85376660 苏州汽车检测实验室及交通安全检测 谱尼深圳通测: (0755) 27673339
天津实验室: (022) 23607888 西安实验室: (029) 85299003 武汉实验室: (027) 82997127 南宁实验室: (0771) 5518818
长春实验室: (0431) 82830198 成都实验室: (028) 81123003 杭州实验室: (0571) 62997900 广州实验室: (020) 89224310
沈阳实验室: (024) 22811846 烟台实验室: (0535) 3360000 武汉实验室: (027) 82997127 南宁实验室: (0771) 5518818
大连实验室: (0411) 87336618 呼和浩特实验室: (0471) 3450026 武汉检测所: (027) 82318176 厦门实验室: (0592) 5568048
哈尔滨实验室: (0451) 55627755 成都实验室: (028) 87707708 杭州实验室: (0571) 87219096



Information on basic physical and chemical properties

Colour:	Prismatic.
Physical State:	Prismatic.
Odour:	Not available.
pH:	Not available.
Melting point/freezing point:	Not available.
Boiling point or initial boiling point and boiling range:	Not available.
Flash Point:	Not available.
Flammability:	Not available.
Solubility:	Not available.
Lower and upper explosion limit/flammability limit:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Kinematic viscosity:	Not available.
Partition coefficient: n-octanol/water (log value):	Not available.
Vapour pressure:	Not available.
Density and/or relative density:	Not available.
Relative vapour density:	Not available.
Particle characteristics:	Not available.
Other information:	
Voltage	20V
Electric capacity	4Ah
Electric Energy	80Wh

Section 10 - Stability and Reactivity

Reactivity: No data available.

Chemical stability: Stable.

Possibility of hazardous reactions: No data available.

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

Incompatible materials: Oxidizing agents, acid base.

Hazardous decomposition products: Carbon monoxide, carbon dioxide, lithium oxide fumes.

Section 11 - Toxicological Information

Acute Toxicity:



CAS No.	LC50/LD50
12190-79-3	No data available.
12057-17-9	No data available.
182442-95-1	No data available.
7429-90-5	No data available.
7782-42-5	No data available.
7440-44-0	No data available.
7440-50-8	No data available.

Skin corrosion/irritation: No data available.

Serious eye damage/irritation: No data available.

Respiratory or Skin sensitization: No data available.

Germ Cell mutagenicity: No data available.

Carcinogenicity: No data available.

Reproductive toxicity: No data available.

Specific target organ toxicity-Single exposure: No data available.

Specific target organ toxicity-Repeated exposure: No data available.

Aspiration hazard: No data available.

Information on the likely routes of exposure: No data available.

Eye: No data available.

Skin: No data available.

Ingestion: No data available.

Inhalation: No data available.

Section 12 - Ecological Information

Ecological Toxicity: No data available.

Persistence and degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other adverse effects: No data available.

Section 13 - Disposal Considerations

Disposal methods:



Pony Testing International Group

Report No.: MQI449BG2496267U3 Date: 2023-01-03 Page 8 of 10

Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging**Recommendation:** Disposal must be made according to official regulations.

Section 14 - Transport Information

UN or ID Number	
IATA	UN3480
IMDG	UN3480
Proper Shipping Name/Description	
IATA	Lithium ion batteries
IMDG	LITHIUM ION BATTERIES
Class or Div. (Sub Hazard)	
IATA	9
Packing Group	
IATA	N/A
IMDG	N/A
Hazard Label	
IATA	
IMDG	N/A
Environmental hazards	
Marine pollutant:	No
IMDG EmS:	F-A, S-I
Special precautions for user	No information available.

Transport information: The Li-ion battery DCB180,DCB181 has passed the test UN38.3, according to the report ID: MQIVS5NG0092087U5.

According to the Packing Instruction 965 section IB of IATA DGR 64th Edition for transportation, Cargo aircraft only.

According to the special provision 188 of IMDG (40-20), the goods are not subject to other provision of this code.

PONY 谱尼测试
Pony Testing International Group

Hotline: 400-819-5688 www.ponytest.com

Pony Testing Group Shanghai Co., Ltd.
Address: 1/F, of Building 2, Building 1, Nishanpark Industrial Park, Youguo Road, Qidong City, Nantong District, Shanghai, Guangdong, China
Phone: 0755-81191000

北京实验室: (010) 81055050 杭州实验室: (0371) 69352670 深圳南山区实验室: (020) 81702709 宁波实验室: (8574) 87736499
北京顺义分公司: (010) 80415667 河南郑州分公司: (0371) 80967099 常州实验室: (0895) 85221600 合肥实验室: (8551) 63843474
天津滨海新区实验室: (010) 82492986 新疆实验室: (0991) 6684186 上海实验室: (021) 64851999 深圳实验室: (8755) 26050909
青岛实验室: (0532) 88708866 内蒙古实验室: (0311) 85376660 苏州实验室: (0512) 62997900 深圳南山区实验室: (0755) 26020066
天津实验室: (022) 21607888 西安实验室: (029) 89608785 苏州汽车内饰实验室及儿童安全座椅 福建福州福州: (0755) 27673339
重庆实验室: (0451) 86532198 河南郑州实验室: (039) 8132093 无锡实验室: (0512) 62997900 广州实验室: (820) 89224310
沈阳实验室: (024) 31811886 河南郑州实验室: (039) 8579072 武汉实验室: (027) 83997127 南宁实验室: (0771) 5518818
大连实验室: (0411) 87336618 呼和浩特实验室: (0471) 3450925 武汉实验室: (027) 82318175 厦门实验室: (0592) 55680068
哈尔滨实验室: (8451) 58627755 成都实验室: (028) 87702708 杭州实验室: (8571) 87219096



Pony Testing International Group

Report No.: MQI449BG2496267U3 Date: 2023-01-03 Page 9 of 10

Separate batteries to prevent short-circuiting, and they should be packed in strong package during transport. Lithium cell or battery should incorporate a safety venting device or be designed to prevent a violent rupture under normal transport conditions. Keep away from high temperature and open flames.

Note: State of Charge (SoC) not exceeding 30% of their rated capacity. (By air, Lithium ion batteries)

Transport Fashion: By air, by sea.

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ ELINCS/ NLP
12190-79-3	Listed	Listed	Listed DSL	Listed
12057-17-9	Listed	Listed	Listed DSL	Listed
182442-95-1	Listed	Listed	Listed DSL	Listed
7429-90-5	Listed	Listed	Listed DSL	Listed
7782-42-5	Listed	Listed	Listed DSL	Listed
7440-44-0	Listed	Listed	Listed DSL	Listed
7440-50-8	Listed	Listed	Listed DSL	Listed

Section 16 - Other Information

Issue Date: 2023-01-03

Issue Department: Technical department

Modification record:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

PONY 谱尼测试
Pony Testing International Group

Hotline 400-819-5688 www.ponytest.com

Pony Testing Group Shenzhen Co., Ltd.
44Akw, 10F of Building 3, Building 3, Nansheng Industrial Park, Yonghe
Road, Qixia Community, Basse District, Shenzhen, Guangdong, China
Phone: (755) 26000000

北京实验室: (010) 83055000 杭州实验室: (0571) 49350670 成都检测中心: (028) 87702708 宁波实验室: (0574) 87736499
北京谱尼科技分公司: (010) 80415661 无锡实验室: (0510) 80967099 常州实验室: (0519) 83221000 合肥实验室: (0551) 62843474
北京谱尼检测中心: (010) 82622998 新疆实验室: (0991) 6684184 上海实验室: (021) 64851999 深圳实验室: (0755) 26050909
青岛实验室: (0532) 88706866 石家庄实验室: (0311) 25376660 苏州实验室: (0512) 62997900 深圳谱尼检测中心: (0755) 26000000
天津实验室: (022) 23407888 西安实验室: (029) 89608785 常州汽车碰撞实验室及交通安全检测 谱尼深圳检测: (0755) 27675339
长春实验室: (0431) 80330110 成都谱尼检测中心: (028) 86133009 福建实验室: (0512) 62997900 广州实验室: (020) 89224310
沈阳实验室: (024) 22811884 宁波谱尼检测中心: (0574) 8879079 武汉实验室: (027) 83997127 南宁实验室: (0771) 5518818
大连实验室: (0411) 87356688 呼和浩特实验室: (0471) 3450025 武汉车研所: (027) 82316175 厦门实验室: (0592) 5568048
哈尔滨实验室: (0451) 58627755 成都实验室: (028) 87702708 杭州实验室: (0571) 87219096



Pony Testing International Group

Report No.: MQI449BG2496267U3 Date: 2023-01-03 Page 10 of 10

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average);

STEL: (Short Term Exposure Limit);

PEL: (Permissible Exposure Level);

REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-short time exposure limit);

PC-TWA: (Permissible concentration-time weighted average);

IARC: (International Agency for Research on Cancer);

LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

EC50: (Median effective concentration);

BCF: (Bioconcentration Factor);

BOD: (Biochemical oxygen demand);

IECSC: (Inventory of Existing Chemical Substances in China);

NOEC: (No observed effect concentration);

NTP: (US National Toxicology Program);

RTECS: (Registry of Toxic Effects of Chemical Substances);

TOC: (Total Organic Carbon);

TSCA: (Toxic Substances Control Act of USA);

DSL: (the Domestic Substances List of Canada);

NDSL: (the Non-domestic Substances List of Canada);

IATA: (International Air Transport Association);

IMDG: (International Maritime Dangerous Goods);

TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations)

End of report