





---

**LOWBAY FLEX P / LOWBAY FLEX DALI P**

---



	EAN	l x w x h [mm]	W	V	Hz	lm	lm/W	K
LB FLEX 1200 P 42W 840 N	4099854163654	1236 x 115 x 65	42	220-240V	50/60Hz	6510	155	4000
LB FLEX 1200 P 42W 840 W	4058075676060	1236 x 115 x 65	42	220-240V	50/60Hz	6510	155	4000
LB FLEX 1200 P 42W 840 VW	4058075676084	1236 x 115 x 65	42	220-240V	50/60Hz	6510	155	4000
LB FLEX 1200 P 42W 840 OV	4099854163838	1236 x 115 x 65	42	220-240V	50/60Hz	6510	155	4000
LB FLEX 1200 P 73W 840 N	4099854163876	1236 x 115 x 65	73	220-240V	50/60Hz	11315	155	4000
LB FLEX 1200 P 73W 840 W	4058075676107	1236 x 115 x 65	73	220-240V	50/60Hz	11315	155	4000
LB FLEX 1200 P 73W 840 VW	4058075676121	1236 x 115 x 65	73	220-240V	50/60Hz	11315	155	4000
LB FLEX 1200 P 73W 840 OV	4099854164118	1236 x 115 x 65	73	220-240V	50/60Hz	11315	155	4000
LB FLEX 1200 DALI P 42W 840 N	4099854164132	1236 x 115 x 65	42	220-240V	0/50/60Hz	6510	155	4000
LB FLEX 1200 DALI P 42W 840 W	4058075676145	1236 x 115 x 65	42	220-240V	0/50/60Hz	6510	155	4000
LB FLEX 1200 DALI P 42W 840 VW	4058075676169	1236 x 115 x 65	42	220-240V	0/50/60Hz	6510	155	4000
LB FLEX 1200 DALI P 42W 840 OV	4099854164156	1236 x 115 x 65	42	220-240V	0/50/60Hz	6510	155	4000
LB FLEX 1200 DALI P 73W 840 N	4099854164170	1236 x 115 x 65	73	220-240V	0/50/60Hz	11315	155	4000
LB FLEX 1200 DALI P 73W 840 W	4058075676206	1236 x 115 x 65	73	220-240V	0/50/60Hz	11315	155	4000
LB FLEX 1200 DALI P 73W 840 VW	4058075676220	1236 x 115 x 65	73	220-240V	0/50/60Hz	11315	155	4000
LB FLEX 1200 DALI P 73W 840 OV	4099854164224	1236 x 115 x 65	73	220-240V	0/50/60Hz	11315	155	4000
LB FLEX 1500 P 73W 840 N	4099854164248	1527 x 115 x 65	73	220-240V	50/60Hz	11680	160	4000
LB FLEX 1500 P 73W 840 W	4099854164262	1527 x 115 x 65	73	220-240V	50/60Hz	11680	160	4000
LB FLEX 1500 P 73W 840 VW	4099854164286	1527 x 115 x 65	73	220-240V	50/60Hz	11680	160	4000
LB FLEX 1500 P 73W 840 OV	4099854164309	1527 x 117 x 76	73	220-240V	50/60Hz	11680	160	4000
LB FLEX 1500 P 105W 840 N	4058075676244	1527 x 115 x 65	105	220-240V	50/60Hz	16800	160	4000
LB FLEX 1500 P 105W 840 W	4058075676268	1527 x 115 x 65	105	220-240V	50/60Hz	16800	160	4000
LB FLEX 1500 P 105W 840 VW	4058075676282	1527 x 115 x 65	105	220-240V	50/60Hz	16800	160	4000
LB FLEX 1500 P 105W 840 OV	4099854163616	1527 x 117 x 76	105	220-240V	50/60Hz	16800	160	4000
LB FLEX 1500 P 140W 840 N	4099854163630	1527 x 115 x 65	140	220-240V	50/60Hz	22000	155	4000
LB FLEX 1500 P 140W 840 W	4099854163678	1527 x 115 x 65	140	220-240V	50/60Hz	22000	155	4000
LB FLEX 1500 P 140W 840 VW	4099854163692	1527 x 115 x 65	140	220-240V	50/60Hz	22000	155	4000
LB FLEX 1500 P 140W 840 OV	4099854163715	1527 x 117 x 76	140	220-240V	50/60Hz	22000	155	4000
LB FLEX 1500 DALI P 73W 840 N	4099854163753	1527 x 115 x 65	73	220-240V	0/50/60Hz	11680	160	4000
LB FLEX 1500 DALI P 73W 840 W	4099854163791	1527 x 115 x 65	73	220-240V	0/50/60Hz	11680	160	4000
LB FLEX 1500 DALI P 73W 840 VW	4099854163814	1527 x 115 x 65	73	220-240V	0/50/60Hz	11680	160	4000
LB FLEX 1500 DALI P 73W 840 OV	4099854163852	1527 x 117 x 76	73	220-240V	0/50/60Hz	11680	160	4000
LB FLEX 1500 DALI P 105W 840 N	4058075676305	1527 x 115 x 65	105	220-240V	0/50/60Hz	16800	160	4000
LB FLEX 1500 DALI P 105W 840 W	4058075676329	1527 x 115 x 65	105	220-240V	0/50/60Hz	16800	160	4000
LB FLEX 1500 DALI P 105W 840 VW	4058075676343	1527 x 115 x 65	105	220-240V	0/50/60Hz	16800	160	4000
LB FLEX 1500 DALI P 105W 840 OV	4099854163975	1527 x 117 x 76	105	220-240V	0/50/60Hz	16800	160	4000
LB FLEX 1500 DALI P 140W 840 N	4099854163999	1527 x 115 x 65	140	220-240V	0/50/60Hz	22000	155	4000
LB FLEX 1500 DALI P 140W 840 W	4099854164019	1527 x 115 x 65	140	220-240V	0/50/60Hz	22000	155	4000
LB FLEX 1500 DALI P 140W 840 VW	4099854164033	1527 x 115 x 65	140	220-240V	0/50/60Hz	22000	155	4000
LB FLEX 1500 DALI P 140W 840 OV	4099854164071	1527 x 117 x 76	140	220-240V	0/50/60Hz	22000	155	4000

	EAN	IP	IK		R <sub>a</sub>	 (°C)	PF	
LB FLEX 1200 P 42W 840 N	4099854163654	23	08	60	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 42W 840 W	4058075676060	23	08	90	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 42W 840 VW	4058075676084	23	08	120	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 42W 840 OV	4099854163838	23	08	40x90	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 73W 840 N	4099854163876	23	08	60	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 73W 840 W	4058075676107	23	08	90	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 73W 840 VW	4058075676121	23	08	120	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 73W 840 OV	4099854164118	23	08	40x90	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 DALI P 42W 840 N	4099854164132	23	08	60	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1200 DALI P 42W 840 W	4058075676145	23	08	90	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1200 DALI P 42W 840 VW	4058075676169	23	08	120	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1200 DALI P 42W 840 OV	4099854164156	23	08	40x90	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1200 DALI P 73W 840 N	4099854164170	23	08	60	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1200 DALI P 73W 840 W	4058075676206	23	08	90	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1200 DALI P 73W 840 VW	4058075676220	23	08	120	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1200 DALI P 73W 840 OV	4099854164224	23	08	40x90	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1500 P 73W 840 N	4099854164248	23	08	60	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 P 73W 840 W	4099854164262	23	08	90	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 P 73W 840 VW	4099854164286	23	08	120	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 P 73W 840 OV	4099854164309	23	08	40x90	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 P 105W 840 N	4058075676244	23	08	60	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 105W 840 W	4058075676268	23	08	90	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 105W 840 VW	4058075676282	23	08	120	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 105W 840 OV	4099854163616	23	08	40x90	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 140W 840 N	4099854163630	23	08	60	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 140W 840 W	4099854163678	23	08	90	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 140W 840 VW	4099854163692	23	08	120	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 140W 840 OV	4099854163715	23	08	40x90	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 DALI P 73W 840 N	4099854163753	23	08	60	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 73W 840 W	4099854163791	23	08	90	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 73W 840 VW	4099854163814	23	08	120	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 73W 840 OV	4099854163852	23	08	40x90	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 105W 840 N	4058075676305	23	08	60	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 105W 840 W	4058075676329	23	08	90	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 105W 840 VW	4058075676343	23	08	120	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 105W 840 OV	4099854163975	23	08	40x90	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 140W 840 N	4099854163999	23	08	60	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 140W 840 W	4099854164019	23	08	90	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 140W 840 VW	4099854164033	23	08	120	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 140W 840 OV	4099854164071	23	08	40x90	≥ 80	-25...+50	≥ 0.9	4.15 kg

**2x**

LB FLEX SUSPENSION KIT		
EAN	l x w x h [mm]	
4058075693722	125x46x30	0.24 kg

**2x**

LB FLEX ANGULATION MOUNT KIT		
EAN	l x w x h [mm]	
4099854177934	90x42x71	0.25 kg

**1x**

**9x**

LB FLEX 1200 BALL PROOF COVER		
EAN	l x w x h [mm]	
4099854177705	915x119x39	1.3 kg


LB FLEX 1500 BALL PROOF COVER		
EAN	l x w x h [mm]	
4099854177729	1206x119x39	1.7 kg

**LOWBAY FLEX 1200 P / LOWBAY FLEX 1200 DALI P**


1236 mm (total length)  
915 mm (main body length)  
115 mm (height)  
65 mm (depth)

800 mm (D) (mounting hole spacing)  
1135 mm (A) (mounting hole to end)  
1180 mm (C) (mounting hole to end)  
1196 mm (B) (mounting hole to end)


**LOWBAY FLEX 1500 P / LOWBAY FLEX 1500 DALI P**







**LOWBAY FLEX 1200 P / LOWBAY FLEX 1200 DALI P + LB FLEX 1200 BALL PROOF COVER**





**LOWBAY FLEX 1500 P / LOWBAY FLEX 1500 DALI P + LB FLEX 1500 BALL PROOF COVER**







**LB FLEX SUSPENSION KIT**  
EAN 4058075693722








LOWBAY FLEX 1200 P / LOWBAY FLEX 1200 DALI P








LOWBAY FLEX 1500 P / LOWBAY FLEX 1500 DALI P
















**LB FLEX ANGULATION MOUNT KIT**  
**EAN 4099854177934**









n	B16	C10	C16	Inrush Current (A)	Inrush Charge Time (us)	Leakage Current (mA) at 240VAC 60Hz (Max Vin and Frequency)
LOWBAY FLEX 1200 P 42W	18	19	30	31.31	978	0.978
LOWBAY FLEX 1200 P 73W	13	13	22	25.24	743	0.743
LOWBAY FLEX 1200 DALI P 42W	16	10	16	22.40	176	0.337
LOWBAY FLEX 1200 DALI P 73W	27	23	36	17.30	164	0.747
LOWBAY FLEX 1500 P 73W	13	13	22	25.24	436	1.436
LOWBAY FLEX 1500 P 105W	10	11	18	31.16	420	1.755
LOWBAY FLEX 1500 P 140W	9	9	15	36.76	406	1.805
LOWBAY FLEX 1500 DALI P 73W	27	23	36	17.30	164	1.211
LOWBAY FLEX 1500 DALI P 105W	27	17	28	17.30	164	1.209
LOWBAY FLEX 1500 DALI P 140W	16	10	16	17.70	162	1.208







Points de collecte sur [www.quefairedemesdechets.fr](http://www.quefairedemesdechets.fr)



LEDVANCE GmbH  
 Steinerne Furt 62  
 86167 Augsburg, Germany  
[www.ledvance.com](http://www.ledvance.com)

C10449059  
 G11173517

17.07.23

© LEDVANCE Ltd, Aquila House  
 Delta Crescent, Westbrook, Warrington  
 WA5 7NR, United Kingdom