

Product End of Life Instructions


TeSys Deca - auxiliary contact block (GV)

TeSys Deca





End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Other plastic parts with brominates flame retardants	0.094	
To be depolluted	2	Other plastic parts with brominates flame retardants	0.442	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The product is a CONTACTS BLOCK included in passive products - non-continuous operation category. The main purpose of the product is to add instantaneous auxiliary contact blocks.
Product reference	GVAED0113
Additional similar product references	GVAD**, GVAE**, GVAED**, GVAN**
Total representative product mass	15 g
Representative product dimensions	13mm x 44.5mm x 31.5mm
Accessories	NO
Date of information release	2024/02/02

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	NO	
Recyclability potential	42%	Recyclability rate has been calculated based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO" DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
 Country Customer Care Center
<http://www.schneider-electric.com/contact>
 35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.se.com

ENVEOLI2207006_V2

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

2024/02/02