

化学品安全技术说明书

MATERIAL SAFETY DATA SHEET

参考编号 Reference No	:	WTF22D12261525B004
申请商 Applicant	14- 12- 12-	深圳市裕富照明有限公司 Shenzhen Eastfield Lighting Co., Ltd.
申请商地 Address	, E) ,	深圳市龙岗区坪地街道高桥社区环坪路 10 号 A 栋、B 栋、C 栋、D 栋 Building A,B,C,D No.10 Huanping Road, Gaoqiao District, Pingdi Street, Longgang Area, Shenzhen, Guangdong, China
制造商 Manufacturer	:	深圳市裕富照明有限公司 Shenzhen Eastfield Lighting Co., Ltd.
制造商地址 Address	nn : :	深圳市龙岗区坪地街道高桥社区环坪路 10 号 A 栋、B 栋、C 栋、D 栋 Building A,B,C,D No.10 Huanping Road, Gaoqiao District, Pingdi Street, Longgang Area, Shenzhen, Guangdong, China
样品名称 Sample's name	st.	磷酸铁锂可充电电池 LiFePO4 Rechargeable Battery
签发日期 Date of Issue		2022-12-30
生效日期 Date of Effective	101 56	2023-01-01

制作 Prepared By: 深圳沃特检验集团有限公司 Waltek Testing Group Co., Ltd.

地址 Address: 中国广东省东莞市厚街镇莞太路厚街段 77 号 No. 77, Houjie Section, Guantai Road, Houjie Town, Dongguan City, Guangdong, China 电话 Tel:+86-769-2267 6998 传真 Fax:+86-769-2267 6828

编辑 Compiled by:

孙纤

孙纤 Jacky Sun / 工程师 Project Engineer

批准 Approved by:

小小生

秦林伟 Deval Qin / 授权签字人 Designated Reviewer

Page 2 of 10

"冬郎张今

第一部分 — 化学品及企业标识 Section 1-Chemical Product and Company Identification

产品名称 Product Name:	→ 磷酸铁锂可充电电池 LiFePO4 Rechargeable Battery
型号 Model No.:	96635653
额定值 Ratings:	3.2V, 1600mAh, 5.12Wh
重量 Weight:	Approx. 45.2g
制造商 Manufacturer:	深圳市裕富照明有限公司 Shenzhen Eastfield Lighting Co., Ltd.
地址 Address:	深圳市龙岗区坪地街道高桥社区环坪路10号A栋、B栋、C栋、D栋 Building A,B,C,D No.10 Huanping Road, Gaoqiao District, Pingdi Street, Longgang Area, Shenzhen, Guangdong, China
紧急联系电话 Emergency Telephone:	0755-2951 2693
传真 Fax:	0755-2951 2693
邮箱 E-mail:	Tesdep-10@eastfield.cc

第二部分 一 危险性概述 Section 2-Hazards Identification

the state	Section 2-Hazards Identification
分类 Classification:	正常使用不危险。请勿拆卸,打开或切碎电池。主要的危险性是电池破裂的 危险,暴露出的成分或其成分产品中可能有害。
1. 1. 1. 1	
with which why	Not dangerous with normal use. Do not dismantle, open or shred battery. The
at at	hazards indicated are for a ruptured battery. Exposure to the ingredients contained within or their ingredients products could be harmful.
侵入途径:	急性 :请参见第8部分以了解泄漏控制,如果电池破裂,电池中包含的电解质
Invasion route:	溶液将具有腐蚀性并有可能引起灼伤。
t set set	ACUTE: see Section 8 for exposure controls In the event that this battery has been
me me s	ruptured, the electrolyte solution contained within the battery would be corrosive
t it	and can cause burns.
stree with an	皮肤接触 :接触电解液泄漏可能导致皮肤疼痛和刺激。
The In in	Skin contact: The leakage of the electrolyte may cause sore and stimulation on the
at at a	skin.
with white white	眼睛接触 :电解液的蒸汽可能刺激眼睛,特别是含有可能引起眼睛发炎的物
	一 质。 · · · · · · · · · · · · · · · · · ·
at the sec	Eye contact: The steam of the electrolyte may stimulate eyes. Especially,
mer mer.	substance that may cause inflammation of the eyes is contained.
e st	吸入: 吸入密封电池中的材料不是预期的暴露途径。 电池破裂产生的蒸汽或
alle miller	烟雾可能引起呼吸道刺激。
m. n. r.	Inhalation: Inhalation of materials from a sealed battery is not an expected route of
1 1 5	exposure. Vapors or mists from a ruptured battery may cause respiratory irritation.
men when when	摄入: 由于电池大小,预计无法吞咽。摄入电解质会导致喉咙组织受损。
	Ingestion: Swallowing is not anticipated due to the battery size. The ingestion of the
15 15 50	electrolyte causes tissue damage to throat.
健康危害	对于电池或电芯, 化学材料储存在密封的金属或金属层压塑料容器中, 其设
Health hazards:	计可承受正常使用过程中遇到的温度和压力。因此,在正常使用期间,不存
NUT WITH	在着火、爆炸或危险材料泄漏的物理危险。但是如果暴露在火焰中,增加机
20. 20.	械冲击或分解,这些不当处理会导致电解液泄漏。此外,如果被周围的火强
at at .	烈加热,可能会释放出刺鼻的气体。
S	

Page 3 of 10



WALTER WAITER WA	For the battery or cell, chemical materials are stored in a sealed metal or metal laminated plastic case, which designed to withstand temperatures and pressures encountered during normal use. As a result, during normal use, there is no physical danger of ignition, explosion or leakage of hazardous materials. However, if exposed to a fire, added mechanical shocks or decomposed, these improper handlings would cause the leakage of electrolyte. Moreover, if heated strongly by the surrounding fire, acrid gas may be emitted
环境危害	电解液泄漏或电池容器破裂可能导致内部部件泄漏到环境中。
Environment	Electrolyte leakage or battery container rupture may lead to the leakage of inner
hazards:	component into the environment.
烧伤和爆裂危险	不要将电池放在火焰中,否则会爆炸。不要使电池短路,否则会引起火灾。
Burn & burst	Do not dispose of battery in firemay explode. Do not short-circuit the battery-
danger:	may cause fire.

第三部分 一 成分/组成信息 Section 3 – Composition/information on Ingredient

纯净物 Pure 🗌 混合物 Admixture 🛛

化学成分 Chemical Composition	分子式 Molecular Formula	CAS号 CAS No.	含量(百分比) Weight(%)
钴酸锂 Lithium Cobalt Oxide	LiCoO ₂	12190-79-3	35.5
铝 Aluminum	ALL ALL ALL	7429-90-5	9
聚偏氟乙烯树脂 1.1-Difluoroethylene polymer	(C ₂ H ₂ F ₂)n	24937-79-9	white white
石墨 Graphite	C ₂₄ X ₁₂	7782-42-5	18
铜 Copper Foil	Cu	7440-50-8	15
丁苯橡胶 Styrene-Butadiene polymer	(C ₈ H ₈ .C ₄ H ₆)x	9003-55-8	1.5
六氟磷酸锂 Lithium hexafluorophosphate	F ₆ LiP	21324-40-3	2.8
碳酸乙烯酯 Ethylene carbonate	C3H4O3	96-49-1	Set mill 5 mills
碳酸二甲酯 Dimelene carbonate	C ₃ H ₆ O ₃	616-38-6	5 State
碳酸甲乙酯 Carbonate, methyl ethyl	C ₄ H ₈ O ₃	623-53-0	5
镍 Nickel	Ni 5th at	7440-02-0	2.2

注: CAS号为化学品服务注册号。

Note: CAS number is Chemical Abstract Service Registry Number. N/A 为不适用

N/A=Not apply.

- 急救措施 第四部分

er an an	Section 4 – First Aid Measure
皮肤接触	脱掉所有被污染的衣物,立即用肥皂和大量水冲洗异物至少15分钟,获取医疗
Skin touch:	救助。Remove all contaminated clothing and flush extraneous matter with soap and
20. 2.	plenty of water immediately for at least 15 minutes. Get medical aid.
眼睛接触 Eyes touch:	如果电解液接触眼睛,立即用大量水冲洗。如果受害者在冲洗前戴着隐形眼
Waltek Testing Grou	
http://www.waltak.a	

http://www.waltek.com.cn

Page 4 of 10

24. 24.	镜,让他摘下隐形眼镜。不要让受害者揉眼睛。得到医疗救助。
t at at	In case of contact electrolyte with eyes, rinse immediately with plenty of water. Have
INTERNAL SAL	the victims remove contact lenses if he is wearing them before rinsing. Do not let the
20. 2.	victims rub his eyes. Get medical aid.
吸入	转移到空气新鲜的地方。必要时给予氧气或人工呼吸。得到医疗救助。
Inhalation:	Remove to fresh air. Give oxygen or artificial respiration if needed. Get medical aid.
摄入	正常情况下,预计不会吞咽。如果不小心吃了这个产品,用大量的水稀释并就
Ingestion:	医。确保粘液不会阻塞气道。不要给昏迷的人吃任何东西。
1. 2m m.	Swallowing is not anticipated in normal condition. If accidentally eat the product,
A A A	dilute by giving plenty of water and get medical aid. Assure that mucus does not
and the second	obstruct the airway. Do not give anything by mouth to an unconscious person.

第五部分 — 消防措施 Section 5 – Fire Fighting measures

Section 5 – Fire Fighting measures
不易燃。如果使用不当导致过热,电池可能会泄漏可燃电解液烟雾。
Non-flammable. The batteries can leak combustible electrolyte fumes in case of over
heat resulting from inappropriate use.
有田林传子目示大力中,可他人双边和此些与什
如果燃烧或暴露在火中,可能会释放刺激性气体。
Irritant gas may be emitted if burned or exposed to fire.
with with with which we will be all the set
人员必须配备过滤面罩(全面罩)或隔离式呼吸器。工作人员必须穿防火、防
毒气的衣服和手套。当蓄电池与其它可燃物同时燃烧时,应采取与可燃物相对
应的灭火方法。尽可能从迎风处灭火。
The staff must equipped with filter mask (full mask) or isolated breathing
apparatus. The staff must wear the clothes and gloves which can defend the fire and
the toxic gas. When the battery burns with other combustibles simultaneously, take
fire-extinguishing method which correspond to the combustibles. Extinguish a fire from
the windward as much as possible.
二氧化碳、干粉、泡沫等。
Carbon dioxide, dry chemical, foam, etc.

第六部分 — 泄漏应急处理 Section 6 – Accidental Release Measures

个人注意事项	注意!腐蚀性材料。避免接触皮肤、眼睛或衣服。确保通风良好。按要求使用
Personal	个人防护装备。将人员疏散到安全区域。保持人员远离泄漏/泄漏的上游。
precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure
	adequate ventilation. Use personal protective equipment as required. Evacuate
at the star	personnel to safe areas. Keep people away from and upwind of spill/leak.
其他信息 Other	参见第7部分和第8部分中列出的保护措施。
Information	Refer to protective measures listed in section 7 and 8.
环境预防措施	参见第7部分和第8部分中列出的保护措施。在安全的情况下防止进一步泄漏
Environmental	或溢出。不应释放到环境中。不允许进入土壤/底土。防止产品进入下水道。
precautions	Refer to protective measures listed in Section 7 and 8. Prevent further leakage or
inter when whe	spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
控制方法	在安全的情况下防止进一步泄漏或溢出。
Methods for	在女王的情况下的正边一步很确实孤山。 Prevent further leakage or spillage if safe to do so.
containment	Prevent number leakage of spillage if sale to do so.
清理方法	捡起并转移到贴有回收标签的容器中。
Methods for	Pick up and transfer to properly labeled containers.
cleaning up	

第七部分 一 操作处置与储存

Waltek Testing Group Co., Ltd. http://www.waltek.com.cn

Tes

诸存



Page 5 of 10

Section 7 – Handing and storage

处置	在处理电池前,用户应仔细阅读产品说明书。不要用导电物品挤压、刺穿电池
Handing:	端子。不直接加热或焊接。不要往火里扔。不要混用不同类型的电池。不要混
Tet Tet of	用新电池和旧电池。将电池放在不导电的托盘中。
whe white white	Before handling the batteries, the users should read the product specification carefully. Do not crush, pierce the battery terminals with conductive goods. Not directly heat or solder. Do not throw in fire. Do not mix batteries of different types. Do not mix new and used batteries. Keep batteries in non-conductive trays.
储存	将电池储存在阴凉通风的地方,远离热源、明火、腐蚀性化学品、食物和饮
Storage:	料。由于短路会导致燃烧、泄漏和破裂,因此在使用前请将电池保持在原包装
	中,不要将其混淆。远离儿童。
- They while all	Store batteries in cool and ventilated area away from sources of heat, open
with with the	flames, corrosive chemicals, food and drink. Since short circuit can cause burn, leakage and rupture, keep batteries in original packaging until use and do not jumble them. Keep away form children.

第八部分 — 接触控制和个体防护 Section 8 – Exposure controls, Personal Protection

最大允许浓度	
Maximum	无可用信息
admissible concentration:	No information is available
监测方法	使用通风或其他监控设备来控制温度、湿度和烟雾。
Monitoring Method:	Use ventilation or other monitoring devices to control temperature, humidity and fumes.
工程控制	使用通风或其他监控设备来控制温度、湿度和烟雾。
Engineering Control:	Use ventilation or other monitoring devices to control temperature, humidity and fumes.
呼吸防护	正常使用时不需要。如果电池破裂,使用自给式呼吸设备。
Respiratory Protection:	Not necessary under normal use. In case of battery rupture, use self-contained respiratory equipment.
眼睛/面部防护	正常使用时不需要。如果处理泄漏或破裂的电池,请佩戴护目镜。
Eyes/face Protection:	Not necessary under normal use. Wear safety goggles if handing a leaking or ruptured batteries.
皮肤和身体防护。	正常使用时不需要。处理泄漏或破裂的电池时,请使用橡胶围裙和防护服。
Skin and Body	Not necessary under normal use. Use rubber apron and protective clothes in
protection:	case of handing a leaking or ruptured batteries.
手部防护	正常使用时不需要。如果处理泄漏或破裂的电池,请使用橡胶手套。
Hands	Not necessary under normal use. Use rubber gloves if handing a leaking or
Protection:	ruptured batteries.
卫生措施	按照良好的工业卫生和安全惯例处理。避免接触皮肤、眼睛或衣服。戴上合适
Hygiene	的手套和眼睛/面部防护装置。使用本产品时请勿进食、饮水或吸烟。脱掉被污
Measures:	染的衣服,洗干净再使用。污染的工作服不得离开工作场所。建议定期清洁设
WELL WILL WAL	备、工作区域和衣物。休息前和处理产品后立即洗手。为保护环境,在重新使
	用之前,请移除并清洗所有受污染的防护设备。
10 10 50	Handle in accordance with good industrial hygiene and safety practice. Avoid
in which when	contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.
1 A A	Do not eat, drink or smoke when using this product. Take off contaminated clothing
The still .	and wash before reuse. Contaminate work clothing should not be allowed out of the
no no s	workplace. Regular cleaning of equipment, work area and clothing is
At let	recommended. Wash hands before breaks and immediately after handling the product. For environmental protection, remove and wash all contaminated
10 m	product. For environmental protection, remove and wash an contaminated



集 し す sting

Gr

Reference No: WTF22D12261525B004

Page 6 of 10

- 24 m	protective equipment before re-use.
其他防护措施 Other Protections:	无 None

第九部分 — 理化特性 Section 9 – Physical and Chemical Properties

1 1 1	Section 9 – Physical and Chemical Properties
物理形态 Physical state:	固体 Solid
Physical state: 颜色 Color:	蓝色 Blue
气味 Odor:	无气味 Odorless
PH值 pH Value:	不适用 Not available
沸点 Boiling	│ 不适用 Not available
point /range	at the star which we are a start
熔点/冰点	TIT II I I I I I I I I I I I I I I I I
Melting /freezing	│ 不适用 Not available
Point:	with white the set of the site
闪点 Flash	│ 不适用 Not available
point:	the state of the second s
蒸发率	
Evaporation	不适用 Not available
rate: 可燃性上下限	
可 <u>然</u> 住工下限 Upper	a start at all aller outer on the work work with the
flammable(explo	
sive) limits in air-	不适用 Not available
Lower (vol%)-	
UEL:	
蒸汽压	
Vapor pressure:	│ 不适用 Not available
蒸汽密度	
Vapor density:	│ 不适用 Not available
比重	│ │ 不适用 Not available
Specific Gravity:	
水溶性	不溶于水 Immiscible in water
Water Solubility:	
其他溶剂中的溶	the still with with with the state of the
解度 Solubility	不适用 Not available
in other	at all ret oute white white white when when the
solvents: 分配系数(正辛	A A A A A A A
分配系数(正辛 醇/水)Partition	and the state state with white white white white
oefficient (n-	不适用 Not available
octanol / water):	with with the state state with which with a
自燃温度	the state while while while while and and the
Autoignition	│ 不适用 Not available
temperature:	A THE STEE STEE WITH WITH WALL WALL WAT WAT
分解温度	The state solution with the state of the state
Decomposition	不适用 Not available
temperature:	at the state mile white white white and and the
动力粘度	不适用 Not available
Waltek Testing Grou	

Page 7 of 10

Kinematic viscosity:	TEX SUFEX NUTEX WRITE WRITE WRITE WRITE WATER WATER WATER WATER
动态粘度 Dynamic viscosity:	不适用 Not available
爆炸性 Explosive properties:	不适用 Not available
氧化性 Oxidizing properties:	不适用 Not available
蒸发率 Evaporation rate:	不适用 Not available
燃点 Ignition temperature:	无可用信息 No information is available
任何附加信息 Any addition information:	无 None

第十部分 — 稳定性和反应性 Section 10 – Stability and Reactivity

[•]用 Servi

oup

反应性	无可用数据
Reactivity:	No data is available
化学稳定性	在推荐的储存条件下状态稳定
Chemical	Stable under recommended storage condition
stability:	at a way at a set of a suffer white way
危险反应的可能	正常操作下,无
性	None under normal processing.
Possibility of	at all rest attent outer white white when when the
Hazardous	with which which will be at the rest with which which
Reactions:	The start of the start with white white white where a
聚合危险性	无可用信息
Hazardous	No information is available
Polymerization:	. at all the out whe was not a
应避免的条件	长时间暴露在空气或湿气中
Conditions to	Exposure to air or moisture over prolonged periods
avoid:	with with with with any the set of the set
不相容材料	酸、碱、氧化剂
Incompatible	Acids, Bases, Oxidizing agent
materials	and when we are set set the state where a
有害分解产物	如果燃烧或暴露在火中,可能会释放刺激性气体
Hazardous	Irritant gas may be emitted if burned or exposed to fire
Decomposition	and the state state with white white white white white
Products:	state with white white with white with the state of

第十一部分 — 毒理学信息 Section 11 – Toxicological Information

急性毒性 Acute	锂离子电池不含有毒物质
Toxicity:	Lithium ion batteries do not contain toxic materials
亚急性和慢性毒性	锂离子电池不含有毒物质



7 13

章 xs Co.

Reference No: WTF22D12261525B004

Page 8 of 10

Sub-acute and Chronic Toxicity:	Lithium ion batteries do not contain toxic materials
刺激性 Irritation:	只有在滥用电池的情况下才会发生刺激,并可能对皮肤、眼睛、呼吸道造成 刺激。 Irritation only occurs if the batteries are abused and it may cause irritation to skin, eyes, respiratory tract.
致敏性	无可用信息
Sensitization:	No information is available
致突变性	无可用信息
Mutagenicity:	No information is available
致癌性	无可用信息
Carcinogenicity:	No information is available
其他 Others:	无 None

第十二部分 — 生态学信息

Section 12 – Ecological Information	
生态毒性	正确使用和处置锂电池不会对环境造成危害
Eco-toxicity:	When properly used and disposed, lithium ion batteries do not present environment
	hazard
生物降解性	无可用信息
Biodegradable:	No information is available
生物浓缩或生物积 累 Bioconcentration or biological accumulation:	无可用信息 No information is available
其他有害影响 Other harmful effects:	无None

第十三部分 — 废弃处置 Section 13 – Disposal Considerations

│废弃物性质 │Nature of waste:	无可用信息 No information is available
废物处理方法 Waste disposal methods:	根据不同国家的适用法规进行处理。在更多的国家,废旧电池被禁止丢弃,并邀请最终用户妥善处理。锂离子电池的端子应绝缘,最好在处理前用塑料袋包装。
et wattet wattet w	Dispose in accordance with applicable regulations which vary from country to country. In more countries the discard of used batteries is forbidden and the end-users are invited to dispose them properly. Lithium ion battery should have their terminals insulated and be preferably wrapped in plastic bags prior to disposal
污染包装 Contaminated Packaging:	根据当地法规处理内容物/容器。 Dispose of contents/containers in accordance with local regulations.
注意事项 Attention abandoned:	用户不得焚烧电池 Incineration should never be performed by battery user

第十四部分-运输信息 Section 14 - Transport information

注 Note: 🔬 🔬	本报告适用于空运、海运或公路运输。
20. 2.	96635653磷酸铁锂可充电电池通过了《危险货物运输建议书-试验和标准手
at set it	册》第 38.3 节的试验。
with any with	锂电芯和电池的运输受国际民用航空组织、国际航空运输协会、国际海运危
all average	

Page 9 of 10



二十四日 四

* white white wh	险品规则的管制。 空运时,包装应按 IATA DGR 第 64 版包装说明 965~967 运输。 海运时,包装应按《国际海运危险货物规则》第 40-20 版第 188 条特别规定运输。
the state with	心路运输时,包装应符合《欧洲危险货物国际公路运输协定》(ADR)第188 条的特别规定。
WITTER WATTER WATTER	This report applies to transportation of by air or by sea or by road. The LiFePO4 Rechargeable Battery 96635653 has passed the test Section 38.3 of Recommendations on the Transport of Dangerous Goods, Manual of Test and Criteria.
TEX WALLEX WALLEX W	The transportation of lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code.
The street and	When shipped by air, package should according to packing instruction 965~967 of IATA DGR 64th Edition for transportation.
when we we	When shipped by sea, package should according to special provision 188 of IMDG CODE 40-20 Edition for transportation. When shipped by road, package should according to special provision 188 of
untile while while	European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR).
UN 号 UN Number:	3480/3481
类别 Class:	9 At the set of the set of the set
包装登记 Packing group:	tet white white white whe whe when the set set set
运输名称 Proper shipping name:	锂离子电池/设备内锂离子电池/设备内锂离子电池 Lithium Ion Batteries/ Lithium Ion Batteries Contained In Equipment/Lithium Ion Batteries Packed With Equipment
包装标志 Packaging Mark:	每个包装须贴上锂电池标签。 Each package must be labeled with a lithium battery label.
包装方法 Packaging Method:	无可用信息 No information is available
运输方式 Transport Fashion:	空运/海运/陆运 By air /By sea/By road
运输注意事项 Transport	运输前检查集装箱包装是否完整、严密。运输过程中无泄漏、无坍塌、无沉 淀、无损坏。不要把货物与腐蚀性化学品放在一起。中途停留应远离火源和 热源。
Attentions:	Examine whether the package of the containers are integrate and tight-closed or not before transport. No divulgence, no collapse, no precipitation or no damage during the course of transportation. Don't put the goods together with corrosive chemicals. Stopovers should be away from fire and heat sources

第十五部分-法规信息 Section 15 – Regulatory Information

法规信息	ISO 11014-2009 化学产品安全数据表-章节内容和顺序。
Regulatory	GB/T 16483-2008 化工产品安全数据表章节内容及顺序。
Information:	国际海上《危险品运输规则》(IMDG)
at at at	国际航空运输协会(IATA)《危险品运输规则》,第 64 版, 2023 年。
par while where y	欧洲危险货物国际公路运输协定
1 A A	国际铁路危险货物运输条例
Star mark until with	美国交通部(DOT)
10 N 1	全球化学品统一分类和标签制度
t the star of	
at the sh	ISO 11014-2009 Safety data sheet for chemical products – Content and order of
Waltek Testing Group	
http://www.waltek.com	n.cn



	e at at a	sections. GB/T 16483-2008 Safety data sheet for chemical products – Content and order of sections The international Maritime Dangerous Goods (IMDG) Code
	some in in	International Air Transport Association (IATA) Dangerous Goods Regulations, 64th, 2023.
2		The European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
		The Regulations Concerning the International Transport of Dangerous Goods by Rail (RID)
8	L. 24. 24.	U.S. Department of Transportation (DOT)
	1 A At	Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

第十六部分 — 附加信息 Section 16 – Additional Information

the the sec	Section 16 – Additional Information
附加信息	以上信息是基于我们所知的数据,并被认为是正确的数据。由于本信息可能
Additional	在我们无法控制的情况下应用,并且可能不熟悉这些情况,并且由于本信息
Information:	数据之后提供的数据可能表明对信息进行了修改,因此我们对其使用结果不
At the Set	承担任何责任。提供此信息的条件是,接收信息的人员应自行确定材料是否
and white white	适合此特定用途。
and an and an and an	The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the result of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for this particular purpose.

=====报告结束 End of Report ======