


# Product End of Life Instructions

## Harmony XB4 Illuminated Selector Switch



## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	Screw, Bracket, Bezel, Spring	73.06	Metal Parts
To be dismantled	2	Contact Cover, Housing, LED Block Cover, Handle	22.32	Plastic Parts
To be depolluted	3	Electronic Board (Communication) > 10cm <sup>2</sup>	0.5106	Metal Parts
Other		Liquid and pasty substances	0.312	Ink & Oil

## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Illuminated selector switch provides a versatile and highly visible interface for controlling your machines. It is easily installed into standard 22mm diameter cut-outs and connected to your control circuits with simple screw-clamp connections. It provides a clear help in setting your machines in various operating modes even in darker control rooms and with a clear visual feedback.
Product reference	XB4BK123B5
Additional similar product references	XB4BK123B5B XB4BK123M5 XB4BK124B5 XB4BK125B5 XB4BK125M5 XB4BK133B5 ZB4BK1213 ZB4BK1233 ZB4BK1233B ZB4BK1243 ZB4BK1253 ZB4BK1263 ZB4BK1333 ZB4BK1333V ZB4BK1513 ZB4BK1533
Total representative product mass	96.57 g
Representative product dimensions	H46.5mm x L70mm x D30mm
Accessories	No accessories needed
Date of information release	10/2023



## Additional information

<b>Legal information</b>	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
<b>In case of special transportation: transportation method</b>	No specific means of transportation are required.	
<b>Recyclability potential</b>	<b>74%</b>	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS  
Country Customer Care Center  
<http://www.schneider-electric.com/contact>  
35, rue Joseph Monier  
CS 30323  
F- 92500 Rueil Malmaison Cedex  
RCS Nanterre 954 503 439  
Capital social 928 298 512 €

[www.se.com](http://www.se.com)

ENVEOLI2308007\_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

10/2023