


FLOODLIGHT FLEX DALI

LEDVANCE



| IP | IK | V _{AC} | R _a | Hz | PF (@100%) | ⓘ (°C) |
|----|----|-----------------|----------------|---------|------------|-----------|
| 66 | 08 | 220-240V | >80 | 50/60Hz | >0.9 | -30...+50 |

























FLOODLIGHT FLEX DALI








| | EAN | ∠ | 👤 | l x w x h [mm] | W | lm | lm/W | K |
|-----------------------------------|---------------|------------|---------|-----------------|-----|-------|------|------|
| FL FLEX DA P 40W 830 A45X140 WAL | 4099854373145 | 45° x 140° | 3.8 kg | 406 x 277 x 67 | 40 | 5800 | 145 | 3000 |
| FL FLEX DA P 40W 830 A55X120 WAL | 4099854373169 | 55° x 120° | 3.8 kg | 406 x 277 x 67 | 40 | 5900 | 148 | 3000 |
| FL FLEX DA P 40W 840 A45X140 WAL | 4099854373183 | 45° x 140° | 3.8 kg | 406 x 277 x 67 | 40 | 6100 | 153 | 4000 |
| FL FLEX DA P 40W 840 A55X120 WAL | 4099854373206 | 55° x 120° | 3.8 kg | 406 x 277 x 67 | 40 | 6200 | 155 | 4000 |
| FL FLEX DA P 80W 830 A45X140 WAL | 4099854373220 | 45° x 140° | 4.7 kg | 479 x 304 x 67 | 80 | 11400 | 143 | 3000 |
| FL FLEX DA P 80W 830 A55X120 WAL | 4099854373244 | 55° x 120° | 4.7 kg | 479 x 304 x 67 | 80 | 11500 | 144 | 3000 |
| FL FLEX DA P 80W 840 A45X140 WAL | 4099854373268 | 45° x 140° | 4.7 kg | 479 x 304 x 67 | 80 | 12000 | 150 | 4000 |
| FL FLEX DA P 80W 840 A55X120 WAL | 4099854373299 | 55° x 120° | 4.7 kg | 479 x 304 x 67 | 80 | 12100 | 151 | 4000 |
| FL FLEX DA P 130W 830 A45X140 WAL | 4099854373312 | 45° x 140° | 6.0 kg | 492 x 361 x 68 | 130 | 19000 | 146 | 3000 |
| FL FLEX DA P 130W 830 A55X120 WAL | 4099854373336 | 55° x 120° | 6.0 kg | 492 x 361 x 68 | 130 | 19100 | 147 | 3000 |
| FL FLEX DA P 130W 830 R60 WAL | 4099854373343 | 60° | 6.0 kg | 492 x 361 x 68 | 130 | 19900 | 153 | 3000 |
| FL FLEX DA P 130W 830 R30 WAL | 4099854373367 | 30° | 6.0 kg | 492 x 361 x 68 | 130 | 19900 | 153 | 3000 |
| FL FLEX DA P 130W 840 A45X140 WAL | 4099854373381 | 45° x 140° | 6.0 kg | 492 x 361 x 68 | 130 | 19800 | 152 | 4000 |
| FL FLEX DA P 130W 840 A55X120 WAL | 4099854373404 | 55° x 120° | 6.0 kg | 492 x 361 x 68 | 130 | 19900 | 153 | 4000 |
| FL FLEX DA P 130W 840 R60 WAL | 4099854373435 | 60° | 6.0 kg | 492 x 361 x 68 | 130 | 20800 | 160 | 4000 |
| FL FLEX DA P 130W 840 R30 WAL | 4099854373459 | 30° | 6.0 kg | 492 x 361 x 68 | 130 | 20800 | 160 | 4000 |
| FL FLEX DA P 180W 830 A45X140 WAL | 4099854373503 | 45° x 140° | 6.6 kg | 552 x 361 x 68 | 180 | 25500 | 142 | 3000 |
| FL FLEX DA P 180W 830 A55X120 WAL | 4099854373527 | 55° x 120° | 6.6 kg | 552 x 361 x 68 | 180 | 25700 | 143 | 3000 |
| FL FLEX DA P 180W 830 R60 WAL | 4099854373534 | 60° | 6.6 kg | 552 x 361 x 68 | 180 | 27000 | 150 | 3000 |
| FL FLEX DA P 180W 830 R30 WAL | 4099854373558 | 30° | 6.6 kg | 552 x 361 x 68 | 180 | 27000 | 150 | 3000 |
| FL FLEX DA P 180W 840 A45X140 WAL | 4099854373626 | 45° x 140° | 6.6 kg | 552 x 361 x 68 | 180 | 27500 | 153 | 4000 |
| FL FLEX DA P 180W 840 A55X120 WAL | 4099854373640 | 55° x 120° | 6.6 kg | 552 x 361 x 68 | 180 | 27700 | 154 | 4000 |
| FL FLEX DA P 180W 840 R60 WAL | 4099854373657 | 60° | 6.6 kg | 552 x 361 x 68 | 180 | 28000 | 156 | 4000 |
| FL FLEX DA P 180W 840 R30 WAL | 4099854373671 | 30° | 6.6 kg | 552 x 361 x 68 | 180 | 28000 | 156 | 4000 |
| FL FLEX DA P 250W 830 A45X140 WAL | 4099854373701 | 45° x 140° | 8.3 kg | 627 x 416 x 68 | 250 | 37000 | 148 | 3000 |
| FL FLEX DA P 250W 830 A55X120 WAL | 4099854373718 | 55° x 120° | 8.3 kg | 627 x 416 x 68 | 250 | 37000 | 148 | 3000 |
| FL FLEX DA P 250W 830 R60 WAL | 4099854373749 | 60° | 8.3 kg | 627 x 416 x 68 | 250 | 37500 | 150 | 3000 |
| FL FLEX DA P 250W 830 R30 WAL | 4099854373756 | 30° | 8.3 kg | 627 x 416 x 68 | 250 | 37500 | 150 | 3000 |
| FL FLEX DA P 250W 840 A45X140 WAL | 4099854373787 | 45° x 140° | 8.3 kg | 627 x 416 x 68 | 250 | 39000 | 156 | 4000 |
| FL FLEX DA P 250W 840 A55X120 WAL | 4099854373817 | 55° x 120° | 8.3 kg | 627 x 416 x 68 | 250 | 39000 | 156 | 4000 |
| FL FLEX DA P 250W 840 R60 WAL | 4099854373831 | 60° | 8.3 kg | 627 x 416 x 68 | 250 | 39500 | 158 | 4000 |
| FL FLEX DA P 250W 840 R30 WAL | 4099854373855 | 30° | 8.3 kg | 627 x 416 x 68 | 250 | 39500 | 158 | 4000 |
| FL FLEX DA P 360W 830 A45X140 WAL | 4099854373879 | 45° x 140° | 14.1 kg | 751 x 480 x 105 | 360 | 52000 | 144 | 3000 |
| FL FLEX DA P 360W 830 A55X120 WAL | 4099854373893 | 55° x 120° | 14.1 kg | 751 x 480 x 105 | 360 | 52000 | 144 | 3000 |
| FL FLEX DA P 360W 830 A60X110 WAL | 4099854373909 | 60° x 110° | 14.1 kg | 751 x 480 x 105 | 360 | 48000 | 133 | 3000 |
| FL FLEX DA P 360W 830 R20 WAL | 4099854373916 | 20° | 14.1 kg | 751 x 480 x 105 | 360 | 48500 | 135 | 3000 |
| FL FLEX DA P 360W 840 A45X140 WAL | 4099854373923 | 45° x 140° | 14.1 kg | 751 x 480 x 105 | 360 | 56000 | 156 | 4000 |
| FL FLEX DA P 360W 840 A55X120 WAL | 4099854373930 | 55° x 120° | 14.1 kg | 751 x 480 x 105 | 360 | 56000 | 156 | 4000 |
| FL FLEX DA P 360W 840 A60X110 WAL | 4099854373954 | 60° x 110° | 14.1 kg | 751 x 480 x 105 | 360 | 52000 | 144 | 4000 |
| FL FLEX DA P 360W 840 R20 WAL | 4099854373978 | 20° | 14.1 kg | 751 x 480 x 105 | 360 | 52500 | 146 | 4000 |
| FL FLEX DA P 450W 830 A45X140 WAL | 4099854373992 | 45° x 140° | 15.9 kg | 755 x 538 x 105 | 450 | 65000 | 144 | 3000 |
| FL FLEX DA P 450W 830 A60X110 WAL | 4099854374012 | 60° x 110° | 15.9 kg | 755 x 538 x 105 | 450 | 60000 | 133 | 3000 |
| FL FLEX DA P 450W 830 A55x120 WAL | 4099854374036 | 55° x 120° | 15.9 kg | 755 x 538 x 105 | 450 | 65000 | 144 | 3000 |
| FL FLEX DA P 450W 830 R20 WAL | 4099854374050 | 20° | 15.9 kg | 755 x 538 x 105 | 450 | 61000 | 136 | 3000 |
| FL FLEX DA P 450W 840 A45X140 WAL | 4099854374067 | 45° x 140° | 15.9 kg | 755 x 538 x 105 | 450 | 70000 | 156 | 4000 |
| FL FLEX DA P 450W 840 A60X110 WAL | 4099854374098 | 60° x 110° | 15.9 kg | 755 x 538 x 105 | 450 | 65000 | 144 | 4000 |
| FL FLEX DA P 450W 840 A55x120 WAL | 4099854374111 | 55° x 120° | 15.9 kg | 755 x 538 x 105 | 450 | 70000 | 156 | 4000 |
| FL FLEX DA P 450W 840 R20 WAL | 4099854374128 | 20° | 15.9 kg | 755 x 538 x 105 | 450 | 66000 | 147 | 4000 |
| FL FLEX DA P 80W 822 A45X140 WAL | 4099854374135 | 45° x 140° | 4.7 kg | 479 x 304 x 67 | 80 | 8300 | 104 | 2200 |
| FL FLEX DA P 80W 822 A55X120 WAL | 4099854374142 | 55° x 120° | 4.7 kg | 479 x 304 x 67 | 80 | 8400 | 105 | 2200 |
| FL FLEX DA P 130W 822 R30 WAL | 4099854374159 | 30° | 6.0 kg | 492 x 361 x 68 | 130 | 15000 | 115 | 2200 |




FLOODLIGHT FLEX DALI



| | | | | | | | | 230 Vac | | | |
|------|---|-----|-----|----|----|----|---|--|---|---|--|
| | | A | B | C | D | E |  |  m ² | C10A | B16A | C16A |
| 40W |  | 140 | 100 | 18 | 9 | 9 | 2x M8 | 0.09m ² |  |  |  |
| 80W | | 168 | 118 | 22 | 13 | 11 | 2x M10 | 0.12m ² |  |  |  |
| 130W | | 200 | 150 | 22 | 13 | 11 | 2x M10 | 0.15m ² |  |  |  |
| 180W | | 200 | 150 | 22 | 13 | 11 | 2x M10 | 0.17m ² |  |  |  |
| 250W | | 236 | 176 | 22 | 13 | 11 | 2x M10 | 0.22m ² |  |  |  |
| 360W | | 280 | 220 | 27 | 21 | 17 | 2x M16 | 0.32m ² |  |  |  |
| 450W | | 343 | 283 | 27 | 21 | 17 | 2x M16 | 0.36m ² |  |  |  |



FLOODLIGHT FLEX DALI



4

1 2 ... x








| | C10A | B16A | C16A |
|------|------|------|------|
| 40W | 8 | 8 | 14 |
| 80W | 8 | 8 | 14 |
| 130W | 8 | 9 | 14 |
| 180W | 5 | 5 | 8 |
| 250W | 4 | 4 | 7 |
| 360W | 4 | 4 | 6 |
| 450W | 3 | 4 | 5 |

FLOODLIGHT FLEX DALI






1







| | d |
|------|-----|
| 40W | 120 |
| 80W | 143 |
| 130W | 175 |
| 180W | 175 |
| 250W | 206 |
| 360W | 250 |
| 450W | 313 |



FLOODLIGHT FLEX DALI



FLOODLIGHT FLEX DALI





Points de collecte sur www.quefairedemesdechets.fr



LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

C10449058
G11202885

24.09.24

© LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom