



City-Light Plus

City-Light Elegance






5XA526...

5XA527...



5XA527 1 .

[mm]




5XA527...1	SK II	
Gehäuse housing	5NA52600XD1 .	X
Einsatz gear tray	5XA540...	X

kg ≤ 13.7


5XA527 2 .
5XA526...

[mm]


S_↓ = 0.44m²





S_→
= 0.13m²



S_→
= 0.14m²




EN40






5XA526...	SK II	
5XA527 2 .		
Gehäuse housing	5NA52600XD2 .	X
Einsatz gear tray	5XA540...	X

kg ≤ 13.7



2








-120°	-90°	-60°	-30°	0°	30°	60°	90°	120°
-30...-120°					30...120°			
				-				


3



T20





5



6

5XA526...
5XA527 1 .
5XA527 2 .





7

5XA527.... 1 .

5XA527.... 2 .
5XA526...


20...25Nm

20...25Nm




5XA540...






Smart interface
5XA52...

Zhaga Book 18



	A	B	C	D
5XA K...			C	
5XA L...			C	
5XA R...			C	
5XA A...				D
5XA B...				D
5XA C...				D
5XA E...				D
5XA F...				D
5XA J...				D

Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse C oder D.
This product contains a light source of energy efficiency class C or D.



5MA89-246653_ag
28.11.2022 / PZ

Siteco GmbH
Georg-Simon-Ohm-Straße 50
83301 Traunreut, Germany
mail: technicalsupport@siteco.de
Phone: +49 8669 / 33-844
www.siteco.com