



City-Light Plus City-Light Elegance

5XA5265...




5XA5275...





siteco

5XA5275...

[mm]



EN40








5XA5275...		
Gehäuse housing	5NA52600XD1 .	
Einsatz gear tray	5XA5405...	

≤ 13.7


5XA5265...

[mm]






5XA5265...		
Gehäuse housing	5NA52600XD2 .	
Einsatz gear tray	5XA5405...	

≤ 13.7






2







-120°	-90°	-60°	-30°	0°	30°	60°	90°	120°
-30...-120°					30...120°			
				-				

3







5



6



5XA5265...
5XA5275...



















7

5XA5275...

5XA5265...




	
5XA ... 5A	
5XA ... 5B	
5XA ... 5C	
5XA ... 5M	
5XA ... 5N	
5XA ... 5O	
5XA ... 5S	
5XA ... 5T	
5XA ... 5U	
5XA ... 5E	
5XA ... 5F	
5XA ... 5J	
5XA ... 5K	
5XA ... 5L	
5XA ... 5R	

Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse C oder D.
 This product contains a light source of energy efficiency class C or D.




www.siteco.de/iq/iqapp

		RFID	BLE
	Frequency	868 MHz	2.4 GHz
	≤ HF-Power	0 mW	0.4 mW



Ⓔ Hiermit erklärt die Siteco GmbH, dass der Funkanlagentyp der Richtlinie 2014/53/EU entspricht.
 Der vollständige Text der EU-Konformitätserklärung ist unter der folgenden Internetadresse verfügbar:
<https://www.siteco.de/red-konformitaetserklaerung>

Ⓔ Hereby, Siteco GmbH declares that the radio equipment type is in compliance with Directive 2014/53/EU.
 The full text of the EU declaration of conformity is available at the following internet address:
<https://www.siteco.com/red-conformity>






Smart interface

5XA5265 . U/V/Y/W...


5XA5275 . U/V/Y/W...

Zhaga Book 18









5MA89-261600_ac
15.02.2024 / PZ

Siteco GmbH
Georg-Simon-Ohm-Straße 50
83301 Traunreut, Germany
mail: technicalsupport@siteco.de
Phone: +49 8669 / 33-844
www.siteco.com