


PINOS / AGGY / OREN LED driver 1,050 mA, trailing edge dimmable
Article no. 17843010



Tender	
LED converter 1,050 mA, trailing edge dimmable, white, rectangular. Material: Plastic, Protection rating on room side: to DIN EN 60529: IP42, Protection class: (EN 61140) II, Voltage: 230V AC 50Hz, Power: 39.9 W, Dimmable: Yes, Type of dimming: Trailing edge phase control.	

Article data	
Article no.	17843010
GTIN	4255752515425
Series name	PINOS / AGGY / OREN
Short description	LED driver 1,050 mA, trailing edge dimmable
Material	Plastic
Colour	White
Shape	Rectangular
Length	142.3 mm
Width	31.5 mm
Hight	60 mm
Weight	0.230 kg
stamp	ENEC 05, MM
Conformance	CE, UKCA

PINOS / AGGY / OREN LED driver 1,050 mA, trailing edge dimmable

Article no. 17843010

Operating technology of driver	
AC nominal voltage min	180 V
AC nominal voltage max	295 V
Frequency min	47 Hz
Frequency max	63 Hz
Protection class	II
Degree of protection	IP42
Power	39.9 W
Output_ripple_current	3
Starting current	11 A, 50 µs
Suitable for emergency lighting	No
Ambient temperature	-30°C bis +50°C
Version	ohne Konfektionierung
Power factor	0.9
max. no. lights on B16 A	47
max. no. lights on C16 A	47
Output voltage max	38.00 V
Output voltage min.	22.00 V
Control	Trailing-edge phase
Connection type-primary	Cable
Connection type-secondary	Open ends
Number of poles	2
Output current	1.050 mA

Packing data	
Gross weight	0.26 kg
Length of packaging	140 mm
Packaging width	70 mm
Packaging height	36 mm
Disposal at end of life	<p>This product must not be disposed of with household waste. You are obliged, to dispose of such electrical waste separately.</p> <p>By disposing of electrical waste and other old or defective electronics separately, you support recycling or other forms of re-use. In that way you help to take care and to avoid that harmful substances get into the environment.</p>