




**PEPA Hohe 48 V-Stromschiene, Länge: 3.000 mm**  
Article no. 88488380




**Tender**

Hohe 48 V-Stromschiene, Länge: 3.000 mm, black, Rectangular. Surface mounting, Ceiling-/Wall-/Pendant-mounted Mounting method: Surface mounting, Place of installation: Ceiling-/Wall-/Pendant-mounted, Material: Aluminium, Degree of protection: according to DIN EN 60529 IP20, Protection class: (EN 61140) III, Voltage: 48 V DC.

**PEPA Hohe 48 V-Stromschiene, Länge: 3.000 mm**

Article no. 88488380

Leistung	maximale Schienenlänge in Metern
100 Watt	50 m
250 Watt	35 m
Angabe beziehen sich auf eine Last, die der gelieferten Leistung entspricht und gleichmäßig auf die entsprechende Länge in der Tabelle verteilt ist.	



Article data	
Article no.	88488380
GTIN	4255752521211
Series name	PEPA
Short description	Hohe 48 V-Stromschiene, Länge: 3.000 mm
Material	Aluminium
Colour	Black
Type of surface	Structure
Shape	Rectangular
Length	3,000 mm
Width	26.2 mm
Height	53 mm
Weight	3.075 kg
stamp	ENEC
Conformance	CE, UKCA

Operating technology of the luminaire	
Voltage type	DC
DC nominal voltage min	48 V
DC nominal voltage max	48 V
Protection class	III
Degree of protection	IP20
Wire number	4


**PEPA Hohe 48 V-Stromschiene, Länge: 3.000 mm**

Article no. 88488380

Operating technology of driver	
DC nominal voltage min	48 V
DC nominal voltage max	48 V
Protection class	III
Degree of protection	IP20
Nominal cross-section	2.00 mm <sup>2</sup>

Mounting technology	
Mounting method	Surface mounting
Place of installation	Ceiling-/Wall-/Pendant-mounted

Packing data	
Gross weight	3.095 kg
Length of packaging	3,003 mm
Packaging width	54 mm
Packaging height	27 mm
Disposal at end of life	<p>This product must not be disposed of with household waste. You are obliged, to dispose of such electrical waste separately.</p> <p>By disposing of electrical waste and other old or defective electronics separately, you support recycling or other forms of re-use. In that way you help to take care and to avoid that harmful substances get into the environment.</p>


**PEPA Hohe 48 V-Stromschiene, Länge: 3.000 mm**

Article no. 88488380

**Optional accessories**

Article no.: 88483080

End piece for 48 V track DALI / without cable hole

Dimensions: 2 mm x 26.2 mm x 53.65 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_88483080\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_88483080_2021_DE.pdf)

Article no.: 88483180

End piece for 48 V DALI track / with cable hole

Dimensions: 2 mm x 26.2 mm x 53.65 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_88483180\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_88483180_2021_DE.pdf)

Article no.: 88488600

Stabilizing plate only for high 48 V track

Dimensions: 80 mm x 22.7 mm x 5.9 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_88488600\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_88488600_2021_DE.pdf)

Article no.: 88488000

Ceiling mounting for 48 V track

Dimensions: 57 mm x 28.8 mm x 5.5 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_88488000\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_88488000_2021_DE.pdf)

Article no.: 88484080

L-connector 90° to 48 V track

Dimensions: 105 mm x 105 mm x 18.7 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_88484080\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_88484080_2021_DE.pdf)

Article no.: 88484180

Flexible connector for 48 V track

Dimensions: 273.5 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_88484180\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_88484180_2021_DE.pdf)

Article no.: 88484280

Final power supply to 48 V track

Dimensions: 111.7 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_88484280\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_88484280_2021_DE.pdf)

Article no.: 88484380

Electrical connector for 48 V track

Dimensions: 105 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_88484380\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_88484380_2021_DE.pdf)

Article no.: 88489180

Corner connector 90°

Dimensions: 53.2 mm x 53.2 mm x 53.65 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_88489180\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_88489180_2021_DE.pdf)

Article no.: 88498280

Plastic T-connector for 48 V track, 88488180, 88488280 and 88488380

Dimensions: 78 mm x 53.2 mm x 53.6 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_88498280\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_88498280_2021_DE.pdf)


**PEPA Hohe 48 V-Stromschiene, Länge: 3.000 mm**

Article no. 88488380

**Optional accessories**

Article no.: 88498380

Plastic X-connector for 48 V track, 88488180, 88488280 and 88488380

Dimensions: 78 mm x 78 mm x 53.6 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_88498380\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_88498380_2021_DE.pdf)

Article no.: 88484480

Flexible T-connector for 48 V track

Dimensions: 278 mm x 147 mm x 18.7 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_88484480\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_88484480_2021_DE.pdf)

Article no.: 88484580

Flexible X-connector for 48 V track

Dimensions: 278 mm x 278 mm x 18.7 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_88484580\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_88484580_2021_DE.pdf)

Article no.: 17480100

LED-Konverter zu 48 V-Schienensystem, DALI-Signal wird durchgeschliffen und muss sep. zugeführt werden

Power: 1 - 100 W

Dimensions: 298 mm x 16 mm x 19 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_17480100\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_17480100_2021_DE.pdf)

Article no.: 17480200

LED-Konverter zu 48 V-Schienensystem, DALI-Signal wird durchgeschliffen und muss sep. zugeführt werden

Power: 1 - 250 W

Dimensions: 268 mm x 22 mm x 43.5 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_17480200\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_17480200_2021_DE.pdf)

Article no.: 81107000

Stromschienen-Zange zu 3-Phasen-Stromschiene ONETRACK, DALI / schaltbar und 48 V Schienen  
(87161.. bis 87163.., bzw. 88487... bis 88488... )

Article no.: 88487580

Blank cover suitable for 88488xxx

Dimensions: 3,000 mm x 24.6 mm x 5 mm

[https://www.brumberg.com/fileadmin/products/Datenblatt\\_88487580\\_2021\\_DE.pdf](https://www.brumberg.com/fileadmin/products/Datenblatt_88487580_2021_DE.pdf)