Product End of Life Instructions

Harmony RM35 Measurement and Control Relay





▲ Potential disassembly risks

The information provided in this document assumes that the product is completely deenergized and uninstalled (refer to the instructions provided in the appropriate product manuals).

Dismantling/disassembling the product may entail hazards caused by, for example, sharp edges, chemical aggression or ejected parts.

A WARNING


HAZARD DUE TO INSUFFICIENT PROTECTION

 Implement all safety measures required by the applicable regulations and by the processes used to dismantle/disassemble and dispose of the product.

Use all necessary personal protective equipment such as gloves and goggles.

Failure to follow these instructions can result in death or serious injury.

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Housing,Cover, Button	48.443	Plastics with FR
To be depolluted	2	Electronic Board (Communication) > 10cm ²	49.33	PCBA
To be dismantled	3	Light Guide, Glass, Screw, Pin	15.227	Plastics Without FR & Metal Parts

Product description

Manufacturer identification	Schneider Electric Industries SAS	
Brand name	Schneider Electric	
Product function	This modular multi function 3-phase liquid level control relay is ideal for monitoring of electrical values in industrial and building control panels.	
Product reference	RM35LM33MW	
Total representative product mass	113 g	
Representative product dimensions	H90mm x L72mm x D35mm	
Accessories	No accessories needed	
Date of information release	10/2023	

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	No specific means of transportation are required.		
Recyclability potential	8%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).	

Schneider Electric Industries SAS

Country Customer Care Center http://www.se.com/contact

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 928 298 512 €

www.se.com

ENVEOLI1601004_V2

Published by Schneider Electric © 2023 - Schneider Electric – All rights reserved

10/2023