




CEE-Box 16-1, 1x CEE 16 A IP54/2x Schuko 16 A IP54



4 046725 402268

Leistungsmerkmale

Die RED CEE-BOX 16-1 Steckdosenkombination zur festen Wandmontage ist komplett montiert und anschlussfertig verdrahtet. Die RED CEE-BOX wurde zur Verwendung in Umgebungen bis zu einer Schutzart von IP54 konzipiert.

Dank der professionellen Verdrahtung mit hochwertigen Schutzschaltgeräten können wir eine erhöhte Sicherheit gem. DIN EN 61439 gewährleisten. Die Schutzschaltgeräte sind unter einer transparenten und schlagfesten Betätigungsklappe eingebaut. Die Steckdosen sind aus schlagfestem Polyamid. Alle Steckdosenkombinationen sind stückgeprüft, das schlagfeste Gehäuse ist aus hochwertigem Kunststoff in der Farbe grau, ähnlich RAL 7035.

Bestückung:

- 2x Schutzkontaktsteckdose 16 A 230 V IP54 schwarz
- 1x CEE-Steckdose 16 A 400 V 5p 6h IP54 geneigt

Absicherung/Schutzmaßnahme:

- 2x C-Automat 16 A 1p
- 1x C-Automat 16 A 3p

Leitungseinführung/Anschlussmöglichkeit:

- 1x Kabelverschraubung M25 oben
- 1x Verschlusschraube M25 unten

DEHA-Nummer

7311746

Artikelnummer

3320-50-0004

EAN

4046725402268

Kennzeichnung

**IP
54**

CEE-Box 16-1, 1x CEE 16 A IP54/2x Schuko 16 A IP54**Allgemeine Daten**


Merkmale	
Durchmesser Kabeleinführung	M25
Höhe	500 mm
Breite	135 mm
Tiefe	140 mm
Einspeisung/Anschlussmöglichkeit	2 Leitungen (Ringleitung/zum Durchschleifen)
Farbe	grau
Werkstoff des Gehäuses	Kunststoff
Kontaktmaterial	CuZn
Oberflächenbehandlung der Kontakte	unbehandelt
CEE-Steckdose - 16 A	1x16A5p400V
Anzahl der SCHUKO-Steckdosen	2
Anzahl der Leitungsschutzschalter	3
Absicherung	LS-Schalter
Schutzart (IP)	IP54
Handhabung	Wandmontage

Produktabbildungen**Bestelldaten**

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
7311746	CEE-BOX 16-1	3320-50-0004	4046725402268	1 Stück



CEE-Box 16-1, 1x CEE 16 A IP54/2x Schuko 16 A IP54



4 046725 402268

Performance features

The RED CEE-BOX 16-1 socket combination for fixed wall mounting is fully assembled and wired ready for connection. The RED CEE-BOX is designed for use in environments with a protection rating of up to IP54. Thanks to professional wiring with high-quality circuit breakers, we can guarantee increased safety in accordance with DIN EN 61439. The circuit breakers are installed under a transparent and impact-resistant operating cover. The sockets are made of impact-resistant polyamide. All socket combinations are individually tested, and the impact-resistant housing is made of high-quality plastic in gray, similar to RAL 7035. 2-year warranty.

Equipment:

- 2x 16A 230V IP54 black earthed socket outlets
- 1x 16A 400V 5-pin 6h IP54 inclined CEE socket outlet

Protection/Protection measures:

- 2x 16A 1-pin C-circuit breakers
- 1x 16A 3-pin C-circuit breaker

Cable entry/Connection options:

- 1x M25 cable gland at the top
- 1x M25 screw plug at the bottom

DEHA number

7311746

Item number

3320-50-0004

EAN

4046725402268

label

IP
54

CEE-Box 16-1, 1x CEE 16 A IP54/2x Schuko 16 A IP54**General Data**

Features	
Cable entry diameter	M25
Height	500 mm
Width	135 mm
Depth	140 mm
Power supply/connection possibility	2 cables (ring line)
Colour	Grey
Material housing	Plastic
Contact material	CuZn
Surface finish contacts	Untreated
CEE socket outlet 16 A	1x16A5p400V
Number of socket outlets with protective contact	2
Number of miniature circuit breakers	3
Protection	Over current switch
Degree of protection (IP)	IP54
Handling	Wall mounting

Product pictures**Order Data**

DEHA no	Type	Item number	EAN	VPE
7311746	CEE-BOX 16-1	3320-50-0004	4046725402268	1 Piece