

Leistungsmerkmale

Das Flex LED-Sanierungsmodul besteht aus einem Aluminium-Kunststoffgehäuse und ist mit drei abnehmbaren Magneten sowie einer Schnellklemme für das 230 V-Netz ausgestattet. Die Systemleistung kann in drei Stufen auf 9, 18 oder 24 Watt via DipSwitch eingestellt werden. Zusätzlich kann die Lichtfarbe in 5 Stufen von 2700 K bis 6500 K gewählt werden. Dadurch ist dieses Modul äußerst vielseitig und eignet sich für zahlreiche Anwendungen und Sanierungen.

Technische Daten

- Betriebsspannung 220–240 V AC 50/60 Hz
- Systemleistung einstellbar 9 W/18 W/ 24 W
- Lichtstrom 1170 lm/2350 lm/3000 lm
- LED-Lichtfarbe einstellbar 2700 K/3000 K/4000 K/5000 K/6500 K
- Effizienz bis zu 125 lm/W

DEHA-Nummer

7316429

Artikelnummer

5810-50-0001

EAN

4046725402343

Kennzeichnung


**IP
20**



Allgemeine Daten

Merkmale	
Höhe	30 mm
Durchmesser	170 mm
Anschlussart	Steckklemme
Lampenleistung	9 - 24 W
Spannungsart	AC
Betriebsspannung	220 - 240 V
Farbe	weiß
Farbtemperatur	2700 - 6500 K
Gehäusefarbe	weiß
Form	rund
Schutzart (IP)	IP20
Lichtstrom	1170 - 3000 lm
Ausstrahlungswinkel	150 °
Mittlere Nennlebensdauer	50000 h

Produktabbildungen

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
7316429	Flex LED-Sanierungsmodul	5810-50-0001	4046725402343	1 Stück



Performance features

The Flex LED renovation module consists of an aluminum-plastic housing and is equipped with three removable magnets and a quick-connect terminal for the 230 V mains supply. The system power can be adjusted in three steps to 9, 18, or 24 watts via a dip switch. Additionally, the light color can be selected in five steps from 2700 K to 6500 K. This makes this module extremely versatile and suitable for numerous applications and renovations.

Technical specifications

- Operating voltage: 220–240 V AC, 50/60 Hz
- System power adjustable: 9 W/18 W/24 W
- Luminous flux: 1170 lm/2350 lm/3000 lm
- LED light color adjustable: 2700 K/3000 K/4000 K/5000 K/6500 K
- Efficiency up to 125 lm/W

DEHA number

7316429

Item number

5810-50-0001

EAN

4046725402343

label


**IP
20**




SIMPLY. CONVINCING.

Flex LED renovation module

General Data

Features	
Height	30 mm
Diameter	170 mm
Connection type	Plug clamp
Lamp power	9 - 24 W
Voltage type	AC
Operating voltage	220 - 240 V
Colour	White
Colour temperature	2700 - 6500 K
Colour housing	White
Shape	Round
Degree of protection (IP)	IP20
Luminous flux	1170 - 3000 lm
Beam angle	150 °
Average nominal lifespan	50000 h

Product pictures

Order Data

DEHA no	Type	Item number	EAN	VPE
7316429	Flex LED-Sanierungsmodul	5810-50-0001	4046725402343	1 Piece