

4 046725 402381

Leistungsmerkmale

Baubeleuchtung, mal neu gedacht! Robuster, doppelreihiger LED-Strip mit 15 m Länge für Netzanschluss, sofort einsatzfertig mit Schukostecker und Kabeltrommel. Ideal für Rohbauten und z.B. Treppenhausschächte, aber auch im Außenbereich einsetzbar.

Technische Daten

- Betriebsspannung 220–240 V AC 50/60 Hz
- Systemleistung 180 W (12 W/m)
- Lichtstrom 19500 lm (1300 lm/m)/18000 lm (1200 lm/m)
- LED-Lichtfarbe 2700/4000 K
- 1,5 m Anschlussleitung H05RN-F 2x 1,0 mm² Schukostecker
- Länge LED-Strip 15 m

DEHA-Nummer

7319579

Artikelnummer

5620-50-0004

EAN

4046725402381


Kennzeichnung

Allgemeine Daten

Merkmale	
Breite	7 mm
Höhe/Tiefe	18 mm
Gesamtlänge	15 m
Leiterquerschnitt	1 qmm
Anschließbarer Leiterquerschnitt	1,0 - 1,0 qmm
Anschlussart	Zuleitung 1,5 m, H05RN-F mit Stecker
Betriebsgerät	nicht erforderlich
Lichtstrom einstellbar	nein
Ausstrahlungswinkel einstellbar	nein
Lampenleistung je Meter	12 W
Spannungsart	AC
Art der Spannungsversorgung	Netzbetrieb
Lampenspannung	220 - 240 V
Max. Systemleistung	180 W
Polzahl	2
Energieeffizienzklasse der Lichtquelle nach EU-Richtlinie 20	F
Lichtfarbe	weiß
Farbtemperatur	2700 - 2700 K
Farbwiedergabeindex CRI	>90
Farbtemperatur einstellbar	nein
Ausführung	Band
Leuchtmittel	LED nicht austauschbar
Anzahl der Leuchtmittel pro Meter	180
Mit Endstück	ja
Art der Verdrahtung	Abschluss
Montageart	Aufbau/Einbau
Schutzart (IP)	IP65
Schutzklasse	II
Lichtstrom je Meter	1200 lm
Bemessungslebensdauer L70/B50 bei 25 °C	50000 h

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
7319579	SNEYXX [®]	5620-50-0004	4046725402381	1 Stück



4 046725 402381

Performance features

Construction lighting, reimagined! Robust, double-row 15 m LED strip for mains connection, ready for immediate use with a Schuko plug and cable reel. Ideal for unfinished buildings and stairwells, for example, but also suitable for outdoor use.

Technical specifications

- Operating voltage: 220–240 V AC 50/60 Hz
- System power: 180 W (12 W/m)
- Luminous flux: 19,500 lm (1,300 lm/m)/ 18,000 lm (1,200 lm/m)
- LED light color: 2,700/4,000 K
- 1.5 m connecting cable: H05RN-F 2 x 1.0 mm² Schuko plug
- Length of LED strip: 15 m

DEHA number

7319579

Item number

5620-50-0004

EAN

4046725402381

label

General Data

Features	
Width	7 mm
Height/depth	18 mm
Total length	15 m
Conductor cross section	1 qmm
Connectable conductor cross section	1,0 - 1,0 qmm
Connection type	Supply cable 1.5 m, H05RN-F with plug
Type of control gear	Not required
Luminous flux adjustable	No
Ausstrahlungswinkel einstellbar	No
Lamp power per meter	12 W
Voltage type	AC
Type of power supply	Mains power supply
Lamp voltage	220 - 240 V
Max. system power	180 W
Number of poles	2
Energy efficiency class of the light source according to EU Directive 20	F
Colour of light	White
Colour temperature	2700 - 2700 K
Colour rendering index CRI	>90
Farbtemperatur einstellbar	No
Model	Tape
Lamp type	LED not exchangeable
Number of nodes per meter	180
With end piece	yes
Type of wiring	Ending
Mounting method	Surface mounting/recessed mounting
Degree of protection (IP)	IP65
Protection class	II
Luminous flux per meter	1200 lm
Rated life time L70/B50 at 25 °C	50000 h

Order Data

DEHA no	Type	Item number	EAN	VPE
7319579	SNEYXX [®]	5620-50-0004	4046725402381	1 Piece