

4 046725 402473

Leistungsmerkmale

RED 19" 24xRJ45 Verteilerfeld PRO 1 HE grau RAL 7035 ohne Module, unbestückt, Aluminium eloxierter Modulträger, 24 Ports unbestückt. Erdschiene zum Potentialausgleich am Modulträger montiert, sicherer Potentialausgleich der RED Einzelmodule mittels Gehäuse oder Federkontakt zum Träger, mit aufgedruckter Beschriftung von 1 bis 24 und zusätzlichem Beschriftungsfeld 14,4x8,5 mm, mit Sichtfenster für Beschriftungseinlage, Beschriftungseinlage beiliegend. Integrierte Staubschutzklappe, grau, Modulhalter mit oder ohne Modul zu Servicezwecken einzeln nach vorne demontierbar. Integrierte Kabelabfangung, zusätzliche Kabelabfangung der Installationskabel am Modulträger mittels Kabelbinder möglich.

Technische Daten

- Anzahl der Steckplätze 24
- Einbauausschnitt Keystone
- Einbaumaß Breite 19 Zoll
- Einbaumaß Höhe 1HE
- Erdung Erdungsbolzen M6x10 mit Mutter und Zahnscheiben
- Farbe Aluminium eloxiert / grau RAL 7035
- Typ RED 19" 24xRJ45 Verteilerfeld PRO 1 HE grau RAL 7035

DEHA-Nummer

7434461

Artikelnummer

2712-10-0004

EAN

4046725402473

Kennzeichnung

Allgemeine Daten

Merkmale	
Anzahl der Höheneinheiten (HE)	1
Anzahl der Steckverbinderöffnungen	24
Art des Steckverbindersystems	RJ


Produktabbildungen

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
7434461	RED 19" 24 x RJ45 Verteilerfeld Pro	2712-10-0004	4046725402473	1 Stück



RED 19" 24 x RJ45 distribution panel pro

**Performance features**

RED 19" 24xRJ45 distribution panel PRO, 1 U, gray RAL 7035, without modules, unpopulated, anodized aluminum module carrier, 24 unpopulated ports. Grounding rail for potential equalization mounted on the module carrier, secure potential equalization of the individual RED modules via a housing or spring contact to the carrier, with printed labeling from 1 to 24 and an additional 14.4x8.5 mm labeling field, with a viewing window for labeling inserts, labeling insert included. Integrated dust cover, gray, module holder with or without modules can be removed individually from the front for servicing purposes. Integrated cable clamp, additional cable clamping of the installation cables on the module carrier is possible using cable ties.

Technical specifications

- Number of slots: 24
- Keystone cutout
- Installation dimensions: 19" width
- Installation dimensions: 1 U height
- Grounding: M6x10 grounding bolt with nut and toothed lock washers
- Color: anodized aluminum / gray RAL 7035
- Type RED 19" 24xRJ45 distribution panel PRO 1 HE gray RAL 7035

DEHA number

7434461

Item number

2712-10-0004

EAN

4046725402473

label

RED 19" 24 x RJ45 distribution panel pro

General Data

Features	
Number of height units	1
Number of connector holes	24
Type of plug-in connector system	RJ

Product pictures

Order Data

DEHA no	Type	Item number	EAN	VPE
7434461	RED 19" 24 x RJ45 distribution panel pro	2712-10-0004	4046725402473	1 Piece