












PANEL FLEX 600/625 ZB






	EAN	l x w x h [mm]	W	EM W (230V DC)	VAC/DC	Hz	lm	lm/W	EM lm (230V DC)
PL FLEX 600 ZB S 30W 830 U19	4099854513596	595 x 595 x 32	30	6	220-240 V	0/50/60	4800	155	700
PL FLEX 600 ZB S 30W 840	4099854513732	595 x 595 x 32	30	6	220-240 V	0/50/60	4860	160	700
PL FLEX 600 ZB S 30W 840 U19	4099854513848	595 x 595 x 32	30	6	220-240 V	0/50/60	4860	160	700
PL FLEX 625 ZB S 32W 830 U19	4099854514371	620 x 620 x 34	32	6	220-240 V	0/50/60	5160	155	700
PL FLEX 625 ZB S 32W 840	4099854514432	620 x 620 x 34	32	6	220-240 V	0/50/60	5220	160	700
PL FLEX 625 ZB S 32W 840 U19	4099854514470	620 x 620 x 34	32	6	220-240 V	0/50/60	5220	160	700

	EAN	K	IP	IK	∇	R _a	° (°C)	PF	👤
PL FLEX 600 ZB S 30W 830 U19	4099854513596	3000	40/20	02	90°	≥ 80	-10...+50	> 0.9	1.7 kg
PL FLEX 600 ZB S 30W 840	4099854513732	4000	40/20	02	110°	≥ 80	-10...+50	> 0.9	1.9 kg
PL FLEX 600 ZB S 30W 840 U19	4099854513848	4000	40/20	02	90°	≥ 80	-10...+50	> 0.9	1.9 kg
PL FLEX 625 ZB S 32W 830 U19	4099854514371	3000	40/20	02	90°	≥ 80	-10...+50	> 0.9	1.9 kg
PL FLEX 625 ZB S 32W 840	4099854514432	4000	40/20	02	110°	≥ 80	-10...+50	> 0.9	2.1 kg
PL FLEX 625 ZB S 32W 840 U19	4099854514470	4000	40/20	02	90°	≥ 80	-10...+50	> 0.9	2.1 kg




PANEL FLEX 600/625 ZB






PANEL FLEX 600/625 ZB




SUSPENSION KIT EAN 4058075402928




RECESSED MOUNT CLIPS VALUE EAN 4058075409859




PL 600 SURFACE MOUNT KIT H75
EAN 4058075472914 (white)
EAN 4058075834330 (black)
PL 625 SURFACE MOUNT KIT H75
EAN 4058075402938 (white)
EAN 4058075834354 (black)



PL 600 SURFACE MOUNT KIT H70 VAL
EAN 4058075402843
PL 625 SURFACE MOUNT KIT H70 VAL
EAN 4058075402867






PL 600 RECESSED MOUNT FRAME
EAN 4058075402881
PL 625 RECESSED MOUNT FRAME
EAN 4058075402904



*

	C10A 	B16A 	C16A 	ZB	I _{Out} [mA]	ZB DIM 
PL FLEX 600 ZB	n=34	n=55	n=55	DR ZB NF P 45W 220-240V 1A2	700	
PL FLEX 625 ZB					750	



FR
Cet appareil et ses accessoires se recyclent



Points de collecte sur www.quefairedemesdechets.fr



LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

C10449057
G11248777

30.07.25

© LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom