

### Leistungsmerkmale

Das hochwertige Weich-PVC-Isolierband eignet sich für alle Standardisolerarbeiten im Elektrobereich. Bei Reparaturen, zum farbigen Kennzeichnen und Bündeln ist das Isolierband universell einsetzbar.

- hohe Klebkraft
- anschmiegsam
- bleifrei
- selbstverlöschend
- gut zu verarbeiten

### Technische Daten

Reißfestigkeit: > 15 N/cm  
 Reißdehnung: > 125%  
 Klebkraft auf Stahl: > 1,8 N/cm  
 Klebkraft auf Bandrücken: >1,5 N/cm  
 Durchschlagfestigkeit: ≥ 40,0 kV/mm

### DEHA-Nummer

7497778

### Artikelnummer

2130-10-0010

### EAN

4046725402589

### Kennzeichnung

## Allgemeine Daten

| Merkmale                  |                        |
|---------------------------|------------------------|
| Breite                    | 19 mm                  |
| Länge                     | 25 m                   |
| Stärke                    | 0,15 mm                |
| Geeignet für Hochspannung | ja                     |
| Temperaturbeständigkeit   | -10 · +105 °C          |
| Farbe                     | weiß                   |
| Werkstoff                 | Polyvinylchlorid (PVC) |
| Selbstverlöschend         | ja                     |
| Von Hand abreißbar        | ja                     |
| Isolierend                | ja                     |


## Produktabbildungen

## Bestelldaten

| DEHA-Nr. | Typ          | Artikelnummer | EAN           | VPE     |
|----------|--------------|---------------|---------------|---------|
| 7497778  | 2130-10-0010 | 2130-10-0010  | 4046725402589 | 9 Stück |

**RED**<sup>®</sup>**SIMPLY. CONVINCING.**

PVC insulating tape 19 mm x 25 m, white



### Performance features

This high-quality, flexible PVC insulating tape is suitable for all standard electrical insulation applications. It's universally applicable for repairs, color-coding, and bundling.

- High adhesive strength
- Flexible
- Lead-free
- Self-extinguishing
- Easy to work with

### Technical Data

Tensile strength: > 15 N/cm  
 Elongation at break: > 125%  
 Adhesive strength on steel: > 1.8 N/cm  
 Adhesive strength on tape backing: > 1.5 N/cm  
 Dielectric strength: ≥ 40.0 kV/mm

### DEHA number

7497778

### Item number

2130-10-0010

### EAN

4046725402589

### label

## General Data

| Features                  |                          |
|---------------------------|--------------------------|
| Width                     | 19 mm                    |
| Length                    | 25 m                     |
| Thickness                 | 0,15 mm                  |
| Suitable for high voltage | yes                      |
| Temperature resistance    | -10 · +105 °C            |
| Colour                    | White                    |
| Material                  | Polyvinyl chloride (PVC) |
| Self-extinguishing        | yes                      |
| Von Hand abreibar        | yes                      |
| Insulating                | yes                      |

## Product pictures

## Order Data

| DEHA no | Type         | Item number  | EAN           | VPE     |
|---------|--------------|--------------|---------------|---------|
| 7497778 | 2130-10-0010 | 2130-10-0010 | 4046725402589 | 9 Piece |