

### Leistungsmerkmale

Das hochwertige Weich-PVC-Isolierband eignet sich für alle Standardisolerarbeiten im Elektrobereich. Bei Reparaturen, zum farbigen Kennzeichnen und Bündeln ist das Isolierband universell einsetzbar.

- hohe Klebkraft
- anschmiegsam
- bleifrei
- selbstverlöschend
- gut zu verarbeiten

### Technische Daten

Reißfestigkeit: > 15 N/cm  
 Reißdehnung: > 125%  
 Klebkraft auf Stahl: > 1,8 N/cm  
 Klebkraft auf Bandrücken: >1,5 N/cm  
 Durchschlagfestigkeit: ≥ 40,0 kV/mm

### DEHA-Nummer

7497782

### Artikelnummer

2130-10-0014

### EAN

4046725402626

### Kennzeichnung

## Allgemeine Daten

Merkmale	
Breite	19 mm
Länge	25 m
Stärke	0,15 mm
Geeignet für Hochspannung	ja
Temperaturbeständigkeit	-10 · +105 °C
Farbe	rot
Werkstoff	Polyvinylchlorid (PVC)
Selbstverlöschend	ja
Von Hand abreibar	ja
Isolierend	ja



## Produktabbildungen

## Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
7497782	2130-10-0014	2130-10-0014	4046725402626	9 Stück

**RED**<sup>®</sup>**SIMPLY. CONVINCING.**

PVC insulating tape 19 mm x 25 m, red



### Performance features

This high-quality, flexible PVC insulating tape is suitable for all standard electrical insulation applications. It's universally applicable for repairs, color-coding, and bundling.

- High adhesive strength
- Flexible
- Lead-free
- Self-extinguishing
- Easy to work with

### Technical Data

Tensile strength: > 15 N/cm  
 Elongation at break: > 125%  
 Adhesive strength on steel: > 1.8 N/cm  
 Adhesive strength on tape backing: > 1.5 N/cm  
 Dielectric strength: ≥ 40.0 kV/mm

### DEHA number

7497782

### Item number

2130-10-0014

### EAN

4046725402626

### label

## General Data

Features	
Width	19 mm
Length	25 m
Thickness	0,15 mm
Suitable for high voltage	yes
Temperature resistance	-10 · +105 °C
Colour	Red
Material	Polyvinyl chloride (PVC)
Self-extinguishing	yes
Von Hand abreibar	yes
Insulating	yes

## Product pictures

## Order Data

DEHA no	Type	Item number	EAN	VPE
7497782	2130-10-0014	2130-10-0014	4046725402626	9 Piece