


# PANEL INDIVILED® 600/625/1200 ZIGBEE













LEDVANCE






	EAN	lxwxh [mm]	W	V <sub>AC/DC</sub>	Hz	lm	lm/W
PL INV 600 ZB P 38W 930 U19 WT	4099854789175	595x595x22	38	220-240	0/50/60	4900	129
PL INV 600 ZB P 38W 930 U19 BK	4099854789199	595x595x22	38	220-240	0/50/60	4700	124
PL INV 600 ZB P 38W 940 U19 WT	4099854789212	595x595x22	38	220-240	0/50/60	5150	136
PL INV 600 ZB P 38W 940 U19 BK	4099854789236	595x595x22	38	220-240	0/50/60	4900	129
PL INV 625 ZB P 38W 930 U19 WT	4099854789250	620x620x22	38	220-240	0/50/60	4900	129
PL INV 625 ZB P 38W 930 U19 BK	4099854789274	620x620x22	38	220-240	0/50/60	4700	124
PL INV 625 ZB P 38W 940 U19 WT	4099854789298	620x620x22	38	220-240	0/50/60	5150	136
PL INV 625 ZB P 38W 940 U19 BK	4099854789311	620x620x22	38	220-240	0/50/60	4900	129
PL INV 1200 ZB P 38W 930 U19 WT	4099854789335	1195x295x22	38	220-240	0/50/60	4900	129
PL INV 1200 ZB P 38W 930 U19 BK	4099854789359	1195x295x22	38	220-240	0/50/60	4700	124
PL INV 1200 ZB P 38W 940 U19 WT	4099854789373	1195x295x22	38	220-240	0/50/60	5150	136
PL INV 1200 ZB P 38W 940 U19 BK	4099854789397	1195x295x22	38	220-240	0/50/60	4900	129

	EAN	K	IP	IK	∇	R <sub>a</sub>	°(°C)	PF	👤
PL INV 600 ZB P 38W 930 U19 WT	4099854789175	3000	20	06	90°	≥ 90	-20...+45	> 0.9	3.4 kg
PL INV 600 ZB P 38W 930 U19 BK	4099854789199	3000	20	06	90°	≥ 90	-20...+45	> 0.9	3.4 kg
PL INV 600 ZB P 38W 940 U19 WT	4099854789212	4000	20	06	90°	≥ 90	-20...+45	> 0.9	3.4 kg
PL INV 600 ZB P 38W 940 U19 BK	4099854789236	4000	20	06	90°	≥ 90	-20...+45	> 0.9	3.4 kg
PL INV 625 ZB P 38W 930 U19 WT	4099854789250	3000	20	06	90°	≥ 90	-20...+45	> 0.9	3.7 kg
PL INV 625 ZB P 38W 930 U19 BK	4099854789274	3000	20	06	90°	≥ 90	-20...+45	> 0.9	3.7 kg
PL INV 625 ZB P 38W 940 U19 WT	4099854789298	4000	20	06	90°	≥ 90	-20...+45	> 0.9	3.7 kg
PL INV 625 ZB P 38W 940 U19 BK	4099854789311	4000	20	06	90°	≥ 90	-20...+45	> 0.9	3.7 kg
PL INV 1200 ZB P 38W 930 U19 WT	4099854789335	3000	20	06	90°	≥ 90	-20...+45	> 0.9	3.4 kg
PL INV 1200 ZB P 38W 930 U19 BK	4099854789359	3000	20	06	90°	≥ 90	-20...+45	> 0.9	3.4 kg
PL INV 1200 ZB P 38W 940 U19 WT	4099854789373	4000	20	06	90°	≥ 90	-20...+45	> 0.9	3.4 kg
PL INV 1200 ZB P 38W 940 U19 BK	4099854789397	4000	20	06	90°	≥ 90	-20...+45	> 0.9	3.4 kg

# PANEL INDIVILED® 600/625/1200 ZIGBEE







# PANEL INDIVILED® 600/625/1200 ZIGBEE






	EAN	l x w x h [mm]	⚖️	
	LISOEV 544X29 25 19W 930 S90U19 GY	4099854793691	544x29x19	0.2 kg
	LISOEV 544X29 26 19W 940 S90U19 GY	4099854793721	544x29x19	0.2 kg
	LISOEV 544X29 24 19W 930 S90U19 BK	4099854793752	544x29x19	0.2 kg
	LISOEV 544X29 25 19W 940 S90U19 BK	4099854793783	544x29x19	0.2 kg
	LISOEV 1074X29 48 40W 930 S90U19 GY	4099854284359	1074x29x19	0.4 kg
	LISOEV 1074X29 50 40W 940 S90U19 GY	4099854284809	1074x29x19	0.4 kg
	LISOEV 1074X29 46 40W 930 S90U19 BK	4099854652059	1074x29x19	0.4 kg
	LISOEV 1074X29 49 40W 940 S90U19 BK	4099854652080	1074x29x19	0.4 kg

[www.ledvance.com/everloop-replacement](http://www.ledvance.com/everloop-replacement)




# PANEL INDIVILED® 600/625/1200 ZIGBEE




## PANEL IndiviLED® 600/625

PL 600 SURFACE MOUNT KIT H75  
EAN 4058075472914 (white)  
EAN 4058075834330 (black)  
PL 625 SURFACE MOUNT KIT H75  
EAN 4058075472938 (white)  
EAN 4058075834354 (black)




PL SUSPENSION KIT  
EAN 4058075402928

PANEL  
IndiviLED®  
600/625




PANEL  
IndiviLED®  
1200






## Emergency reset\*




- \*
- Ⓓ Notfall-Zurücksetzen
  - Ⓕ Réinitialisation d'urgence
  - Ⓘ Ripristino di emergenza
  - Ⓔ Restablecimiento de emergencia
  - Ⓟ Reposição de emergência
  - Ⓜ Επαναφορά έκτακτης ανάγκης
  - Ⓝ Noodreset
  - Ⓢ Nödåterställning
  - Ⓜ Hätänoauss
  - Ⓝ Nødtilbakestilling
  - Ⓚ Nødnulstilling
  - Ⓒ Z Nouzové resetování
  - Ⓜ Сброс аварийного состояния
  - Ⓜ Vészhelyzeti visszaállítás
  - Ⓟ Reset awaryjny
  - Ⓚ Nůdzové resetovanie
  - Ⓜ Ponastavitev v sili
  - Ⓜ Acil durumdá sıfırlama
  - Ⓜ Resetiranje u slučaju nužde
  - Ⓜ Resetarea de urgență
  - Ⓜ Аварийно нулиране
  - Ⓜ Hädaseiskamisnupu lähtestamine
  - Ⓜ Avarinis nustatymas iš naujo
  - Ⓜ Avārijas apstāšanās atiestatīšana
  - Ⓜ Resetovanje u hitnim slučajevima
  - Ⓜ Аварійне скидання
  - Ⓜ Авариялық қалпына келтіру

	EM (Central Battery)		
	mA	EM W	EM lm
PL INV 600 ZB P 38W 930 U19 WT	24 mA	5.5 W	840 lm
PL INV 600 ZB P 38W 940 U19 WT	25 mA	5.5 W	860 lm
PL INV 600 ZB P 38W 930 U19 BK	24 mA	5.5 W	840 lm
PL INV 600 ZB P 38W 940 U19 BK	24 mA	5.5 W	860 lm
PL INV 625 ZB P 38W 930 U19 WT	24 mA	5.5 W	840 lm
PL INV 625 ZB P 38W 940 U19 WT	25 mA	5.5 W	860 lm
PL INV 625 ZB P 38W 930 U19 BK	24 mA	5.5 W	840 lm
PL INV 625 ZB P 38W 940 U19 BK	24 mA	5.5 W	860 lm
PL INV 1200 ZB P 38W 930 U19 WT	27 mA	5.5 W	840 lm
PL INV 1200 ZB P 38W 940 U19 WT	27 mA	5.5 W	860 lm
PL INV 1200 ZB P 38W 930 U19 BK	27 mA	5.5 W	840 lm
PL INV 1200 ZB P 38W 940 U19 BK	27 mA	5.5 W	860 lm

				ZB	Iout [mA]	ZB DIM 
PL INV 600 ZB	n=34	n=55	n=55	DR ZB NF P 45W 220-240V 1A2	800	
PL INV 625 ZB						
PL INV 1200 ZB						



Verifica le disposizioni del tuo comune.



FR  
Cet appareil et ses accessoires se recyclent



Points de collecte sur [www.quefairedemesdechets.fr](http://www.quefairedemesdechets.fr)



C10449058  
G11264004

14.01.26

LEDVANCE SASU  
CQM, 5 rue d'Altorf  
67120 Molsheim France  
[www.ledvance.com](http://www.ledvance.com)

© LEDVANCE Ltd, Sterling House,  
810 Mandarin Court, Warrington,  
Cheshire, WA1 1GG, United Kingdom