



PEPA LED converter for 48 V track system

Article no. 17480100


Tender

LED converter for 48 V track system, black, Rectangular. Material: Plastic, Degree of protection: according to DIN EN 60529 IP20, Protection class: (EN 61140) II, Voltage: 230 V AC 50 Hz, Power: 100 W, Dimmable: No, Type of dimming: on/off.

Article data	
Article no.	17480100
GTIN	4255752520139
Series name	PEPA
Short description	LED converter for 48 V track system
Material	Plastic
Colour	black
Shape	Rectangular
Length	298 mm
Width	16 mm
Hight	19 mm
Weight	0.16 kg
Length of the connection line	3,000 mm
Conformance	CE


PEPA LED converter for 48 V track system

Article no. 17480100

Operating technology of driver	
AC nominal voltage min	176 V
AC nominal voltage max	264 V
Frequency min	47 Hz
Frequency max	63 Hz
Protection class	II
Degree of protection	IP20
Power	1 W
Power max.	100 W
Output_ripple_current	1
Starting current	60 A, 200 us
Suitable for emergency lighting	No
measure point (tc)	85 °C
Version	inkl. 3.000 mm Anschlussleitung, 4-polig
Power factor	0.95
max. no. lights on B16 A	16
max. no. lights on C16 A	26
Output voltage max	48.00 V
Output voltage min.	48.00 V
Control	on/off
Connection type-primary	Cable
Connection type-secondary	Plug clamp
Number of poles	4
Average nominal lifespan	50000 h
Output current	2.100 mA
Length of the connection line	3,000 mm

Packing data	
Gross weight	0.195 kg
Length of packaging	345 mm
Packaging width	210 mm
Packaging height	245 mm
Disposal at end of life	<p>This product must not be disposed of with household waste. You are obliged, to dispose of such electrical waste separately.</p> <p>By disposing of electrical waste and other old or defective electronics separately, you support recycling or other forms of re-use. In that way you help to take care and to avoid that harmful substances get into the environment.</p>