

4 046725 403074

Leistungsmerkmale

Die Deckenaufbauleuchte MIXX[®] RETRO im klassischen Design, integriert sich stilvoll in Wohn- und Arbeitsbereiche. Der 38 cm große Lampenschirm aus PMMA-Kunststoff sorgt für eine angenehme und gleichmäßige Lichtwirkung.

Kein Leuchtmittel im Lieferumfang enthalten. Die Leuchte ist geeignet für Leuchtmittel mit E27-Sockel, maximale Leistung je Fassung 30 W.

Technische Daten

- Betriebsspannung 170–265 V AC, 50/60 Hz
- Leistung max. 30 W/E27-Fassung

DEHA-Nummer

7643543

Artikelnummer

5650-20-0012

EAN

4046725403074

Kennzeichnung

Deckenaufbauleuchte MIXX[®] RETRO


Allgemeine Daten

Merkmale

Breite	385 mm	Leuchtmittel	LED austauschbar
Höhe/Tiefe	100 mm	Fassung	E27
Länge	385 mm	Art der Verdrahtung	Abschluss
Außendurchmesser	385 mm	Wandmontage	ja
Leiterquerschnitt	0,75 qmm	Geeignet für Deckenmontage	ja
Anschlussart	Steckklemme	Geeignet für Anbaumontage	ja
Anschließbarer Leiterquerschnitt	0,5 - 2,5 qmm	Mit Befestigungsmaterial	ja
Betriebsgerät	nicht erforderlich	Schutzart (IP), Rückseite	IP20
Spannungsart	AC	Schutzart (IP), frontseitig	IP44
Nennspannung	170 - 265 V	Schutzklasse	I
Nennstrom	0 - 260 mA	Geeignet für Leuchtmittelanzahl	2
Geeignet für Lampenleistung	1 - 30 W	Lichtverteiler	Diffusorlinse/-optik/-panel
Max. Systemleistung	60 W	Lichtverteilung	symmetrisch
Polzahl	3	Ausstrahlungswinkel	freistrahlend/diffus
Gehäusefarbe	weiß	Lichtaustritt	direkt
Werkstoff des Gehäuses	Edelstahl	Schlagfestigkeit	IK04
Oberflächenschutz Gehäuse	lackiert	Glühdrahtprüfung nach IEC 60695-2-11	650 °C - 30 s
Werkstoff der Abdeckung	Kunststoff opal		

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
7643543	MIXX [®] RETRO	5650-20-0012	4046725403074	1 Stück

MIXX[®] RETRO surface-mounted ceiling light

4 046725 403074

Performance features

The MIXX[®] RETRO surface-mounted ceiling light, featuring a classic design, integrates stylishly into both residential and professional spaces. The 38 cm lampshade, crafted from PMMA plastic, ensures a pleasant and uniform distribution of light.

Light source not included. The fixture is suitable for light bulbs with an E27 base, with a maximum power output of 30 W per socket.

Technical Specifications

- Operating Voltage: 170–265 V AC, 50/60 Hz
- Power: Max. 30 W per E27 socket

DEHA number

7643543

Item number

5650-20-0012

EAN

4046725403074

label**IK**
04**IP**
44

MIXX[®] RETRO surface-mounted ceiling light

General Data

Features

Width	385 mm	Lamp holder	E27
Height/depth	100 mm	Type of wiring	Ending
Length	385 mm	Wall mounting	yes
Outer diameter	385 mm	Suitable for ceiling mounting	yes
Conductor cross section	0,75 qmm	Suitable for surface mounting	yes
Connection type	Plug clamp	With mounting material	yes
Connectable conductor cross section	0,5 - 2,5 qmm	Degree of protection (IP), back side	IP20
Type of control gear	Not required	Degree of protection (IP), front side	IP44
Voltage type	AC	Protection class	I
Nominal voltage	170 - 265 V	Suitable for number of lamps	2
Nominal current	0 - 260 mA	Light distributor	Diffuser lens/ optic/panel
Suitable for lamp power	1 - 30 W	Light sharing	Symmetric
Max. system power	60 W	Beam angle	Open beam/ diffuse
Number of poles	3	Light outlet	Direct
Colour housing	White	Impact strength	IK04
Material housing	Stainless steel	Filament test according to IEC 60695-2-11	650 °C · 30 s
Housing surface protection	Lacquered		
Material cover	Plastic, opal		
Lamp type	LED exchangeable		

Order Data

DEHA no	Type	Item number	EAN	VPE
7643543	MIXX [®] RETRO	5650-20-0012	4046725403074	1 Piece