

TYPE APPROVAL CERTIFICATE

This is to certify that the undernoted product(s) has/have been tested in accordance with the relevant requirements of the DNV GL Type Approval System.

Certificate No. **75 261 - 09 HH**

Company **Schlemmer GmbH**
Gruber Str. 48
85586 Poing, GERMANY

Product Description **Cable gland**

Type **SCHLEMMER - TEC**

Environmental Category **A / H**

Technical Data / Range of Application

Material:	Gland element / Cap nut Seal	Polyamide 6 Neoprene
Ingress protection:	IP 68, 5bar, 30min	
Temperature range:	-25°C to +100°C	
Characteristics:	Metric thread, short / long or NPT thread	
Outer thread:	M 12 to M 63 NPT 3/8" to NPT 1"	
Clamping range:	Metric thread 2,5 - 6,5mm to 35,0 - 48,0mm 1,5 - 5,0mm to 26,0 - 39,0mm with reduction seal insert NPT thread 2,5 - 8,0mm to 14,0 - 25,0mm 1,5 - 6,0mm to 11,0 - 21,0mm with reduction seal insert	

Details see data sheet of manufacturer

Test Standard **Guidelines for the Performance of Type Approvals Part 2, Edition 2003
DIN EN 50262:2005**

Documents **Test report: VDE No. 19600-1492-0001 / 4051W F31 / BY
VDE No. 22326-1492-0002 / 32CC2
UL94V 0320084948-000040**

Remarks **This certificate is issued on the basis of GL Guidelines for the Performance of Type Approvals, Chapter 1 - Procedure (VI-7-1), Edition 2007.**

Valid until **2020-01-19**

Page **1 of 1**

File No. **I.N.03**

Hamburg, 2015-01-19

Type Approval Symbol



i.A.

 Arne Schaarmann

i.A. C. Hunsalz

 Carsten Hunsalz