

Aderendhülsen, isoliert, 0,34 mm², 6 mm, türkis**Leistungsmerkmale**

Die isolierten Aderendhülsen garantieren eine optimale elektrische Verbindung zwischen Leiter und Kabelklemme sowie eine einfache Montage. Gratfreie Ausführung in Länge 6–8 mm, mit Aufweitung, zur einfachsten und spleißfreien Kabeleinführung. Material: Hülse aus Kupfer gefertigt, in galvanisch verzinnter Ausführung für höchstmöglichen Korrosionsschutz.

Die Isolation aus Polypropylen garantiert eine hohe Lebensdauer und Bruchsicherheit. Extreme Temperaturbeständigkeit für Schaltschrankumgebungsbedingungen bis **105 °C**. Ausführung der Farbgebung und Abmessungen gemäß DIN 46228 Teil 4.

DEHA-Nummer

5932763

Artikelnummer

2250-30-0016

EAN

4046725360209

Kennzeichnung

Aderendhülsen, isoliert, 0,34 mm², 6 mm, türkis


Allgemeine Daten

Merkmale	
Bauform	Standard
Nennquerschnitt	0,34 qmm
Hüslenlänge	6 mm
Isoliert	ja
Halogenfrei	ja
Farbe	türkis
Werkstoff	Kupfer
Oberfläche	verzinkt

Produktabbildungen

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
5932763	2250-30-0016	2250-30-0016	4046725360209	1000 Stück

Ferrules, insulated, 0.34 mm², 6 mm, turquoise

4 046725 360209

Performance features

The insulated ferrules guarantee an optimal electrical connection between conductor and cable clamp as well as easy assembly. Burr-free version with a length of 6-8 mm, with expansion, for the simplest and splice-free cable entry. Material: Sleeve made of copper, tin-plated for the best possible protection against corrosion.

The polypropylene insulation guarantees a long service life and resistance to breakage. Extreme temperature resistance for control cabinet ambient conditions up to **105 °C**. Execution of the coloring and dimensions according to DIN 46228 part 4.

DEHA number

5932763

Item number

2250-30-0016

EAN

4046725360209

label

Ferrules, insulated, 0.34 mm², 6 mm, turquoise

General Data

Features	
Construction type	Standard
Nominal cross section	0,34 qmm
Sleeve length	6 mm
Insulated	yes
Halogen free	yes
Colour	Turquoise
Material	Copper
Surface protection	Tinned

Product pictures

Order Data

DEHA no	Type	Item number	EAN	VPE
5932763	2250-30-0016	2250-30-0016	4046725360209	1000 Piece