


**RED**[®]

ÜBERZEUGT. EINFACH.

IFA-zertifizierter Sicherheitssauger DOBBYY[®]
mit neuer Hochleistungsturbine, Staubklasse M

4 046725 399797

Leistungsmerkmale

Der RED Sicherheitssauger DOBBYY[®] bietet eine bewährte Technik und Qualität Made in Germany für harte Einsätze in der Industrie, in der Werkstatt oder auch auf der Baustelle bei hohen Staubemissionen. Der RED DOBBYY[®] ist geeignet für die gesundheitsgefährdenden Stäube der Staubklasse M. Weiterhin ist der Sauger mit einer neuen Hochleistungsturbine ausgestattet, die deutlich mehr Unterdruck und Volumenstrom bringt als wirklich vergleichbare Motoren. Mit der automatischen Impuls-Filterabreinigung wird der Filter während der Arbeitspause gereinigt, so dass man anschließend mit unverändert hohem Luftstrom weitersaugen kann.

Folgende technische Merkmale besitzt der RED Sicherheitssauger DOBBYY[®]:

Gerätesteckdose mit Einschaltautomatik.
Filter-Kontrollleuchte.

Volumenstrom-Überwachung mit akustischem Warnsignal/Vorwahlschalter Schlauch.

Sanftanlaufsteuerung und Nachlaufelektronik.

Wasserstandserkennung mit Sensorabschaltung.

Antistatisch vorbereitet.

Kabelhaken zur Kabelaufbewahrung.

Robuster, doppelwandiger baustellentauglicher Behälter.

Große, verstärkte Laufräder und Lenkrollen, bündig, stabile Verschlüsse.

Drehschieber: einfaches Handling, erleichtert die flexible Nutzung von Vlies- oder PE-Beutel.

Behälterverschluss für einen staubfreien Transport.

Ablagefläche für Werkzeug und Kleinteile.

DEHA-Nummer

6172328

Artikelnummer

2820-10-0003

EAN

4046725399797

Kennzeichnung

IFA-zertifizierter Sicherheitssauger DOBBYY® mit neuer Hochleistungsturbine, Staubklasse M

Technische Daten

Leistung max:	1600 Watt
	75 l/s*, Unterdruck 280 mbar* (*am Motorkopf gemessen)
Geräusch (Schalldruck):	69 dB(A)
Behältervolumen:	25 l Brutto, 20 l Staub, 15 l Wasser
Abmessung:	45x39x49 cm
Gewicht:	12,2 kg
Netzleitungslänge:	8 m (Gummi, H07RN-F), schwarz
Aktionsradius:	13 m

Im Lieferumfang enthaltenes Zubehör:

1x Saugschlauch (Durchmesser 35 mm x 5 m)
1x Werkzeug-Anschlussmuffe abgestuft
1x Werkzeug-Anschlussmuffe drehbar
3x PE-Entleerbeutel FBPE 25/35
1x EW-Bau Zubehörset (Rohre, Düse)
1x Fugendüse 22
1x Anschlussmuffe 44



inklusive kostenlosem Zubehör-Paket bestehend aus:

1x Saugschlauch Ø 35mmx5m
1x EW-Bau Zubehörset (Rohre, Düse)
1x Werkzeug Anschlussmuffe drehbar
1x Fugendüse 22"


zusätzlich beinhaltet das Paket:

1x Werkzeug Anschlussmuffe
abgestuft
1x Anschlussmuffe 44
3x PE-Entleerbeutel
FBPE 25/35



Bestelldaten

DEHA-Nr.	Typ	Art.-Nr.	EAN	VE
6172328	DOBBYY®	2820-10-0003	4046725399797	1 St.
6189274	Faltenfilter-Kassette Set (2 St.)	2820-10-0004	4046725399858	1 Set
6189275	PE-Entleer & Entsorgungsbeutel (5 St.)	2820-10-0005	4046725399865	1 Set
6189276	Vlies-Filterbeutel Set (5 St.)	2820-10-0006	4046725399872	1 Set

**RED**[®]**SIMPLY. CONVINCING.**IFA-certified safety vacuum cleaner DOBBYY[®]
with new high-performance turbine, dust class M**Performance features**

DOBBYY[®] offers proven technology and quality Made in Germany for tough jobs in industry, in the workshop or at the construction site with heavy dust emissions. RED DOBBYY[®] is suitable for the hazardous dusts of dust class M. Furthermore, the vacuum cleaner is equipped with a new high-performance turbine that clearly brings more negative pressure and volume flow than comparable engines. With the automatic Impulse filter cleaning the filter gets cleaned during work break, so that one can continue with the same high air flow. Safety vacuum cleaner DOBBYY[®] has the following technical characteristics:

Device socket with automatic switch-on.

Filter indicator light.

Volume flow monitoring with acoustic warning signal / hose pre-selection switch.

Soft start control and follow-up electronics.

Water level detection with sensor shutdown.

Antistatic prepared.

Cable hook for cable storage.

Hose fixation with Velcro.

Robust, double-walled construction site suitable container.

Large, reinforced wheels and castors, flush, stable closures.

New rotary valve: easy handling made easier for the flexible use of fleece and PE bags.

New container closure for a dust-free transport.

Storage space for tools and small parts.

DEHA number


6172328

Item number

2820-10-0003

EAN

4046725399797

label

IFA-certified safety vacuum cleaner DOBBYY[®]
with new high-performance turbine, dust class M

Technical specifications

Power max:	1600 watt
	75 l/s*, negative pressure max. 280 mbar* (*measured at the motor head)
Noise (sound pressure):	69 dB(A)
Container volume:	25 l gross, 20 l dust, 15 l water
Dimensions:	45x39x49 cm
Weight:	12,2 kg
Mains cable length:	8 m (rubber, H07RN-F), black
Action radius:	13 m

Accessories included

- 1x suction hose (diameter 35 mm x 5 m)
- 1x tool connection sleeve, graduated
- 1x tool connection sleeve rotatable
- 3x PE- emptying bags FBPE 25/35
- 1x EW-Bau accessory set (pipes, nozzle)
- 1x crevice nozzle 22
- 1x connection sleeve 44



including free accessory package consisting of:

- 1x suction hose \varnothing 35mmx5m
- 1x EW-Bau accessory set (pipes, nozzle)
- 1x tool connection sleeve rotatable
- 1x crevice nozzle 22"

the package also includes:

- 1x tool connection sleeve graduated
- 1x connection sleeve 44
- 3x PE emptying bags
FBPE 25/35



Order data

DEHA-No.	Type	Item-No.	EAN	VE
6172328	DOBBYY [®]	2820-10-0003	4046725399797	1 pc.
6189274	Pleated filter cassettes set (2 pcs.)	2820-10-0004	4046725399858	1 Set
6189275	PE emptier & disposal bags (5 pcs.)	2820-10-0005	4046725399865	1 Set
6189276	Fleece filter bags set (5 pcs.)	2820-10-0006	4046725399872	1 Set

Subject to change w/o notice

Verpackungsregisternr. DE3513737456573; WEEE-Reg.-Nr. DE 89717721

DEHA Elektrohandels-gesellschaft mbH & Co.KG, Weilimdorfer Str. 74/2, 70839 Gerlingen, Germany

www.deha.de

www.wir-sind-red.de