

**RED**[®]**ÜBERZEUGT. EINFACH.**19" Steckdosenleiste 6-fach Alu sw ÜSS+Filter
45° abgewinkelt 1,8 m Anschlussleitung

4 046725 400073



Leistungsmerkmale

Die RED 19" Steckdosenleiste 6-fach mit Überspannungsschutz und Netzentstörfilter zeichnet sich durch Qualität und Sicherheit in allen Bereichen aus.

In einem hochwertigen Aluminiumgehäuse in schwarz befinden sich 6 DIN 49440 Steckdosen für die Peripheriegeräte. Für die optimale Nutzung sind die Steckdosen jeweils um 45° abgewinkelt, sodass auch Winkelstecker bequem Platz finden.

Die Steckdosenleiste ist für den Einbau in 19" Netzwerk- und Serverschränke optimiert und benötigt lediglich 1 HE. Mit den seitlich fest angebrachten Montagewinkeln und den ergänzend erhältlichen Befestigungssets (DEHA-Nummer 6501739, 6501740) lässt sich die Steckdosenleiste perfekt verschrauben.

Die 1,8 m lange Anschlussleitung mit dem 90° abgewinkelten CEE7/7 Stecker ist VDE-geprüft.

DEHA-Nummer

6501736

Artikelnummer

2714-17-0001

EAN

4046725400073

Kennzeichnung



19“ Steckdosenleiste 6-fach Alu sw ÜSS+Filter 45° abgewinkelt 1,8 m Anschlussleitung

Allgemeine Daten

Merkmale	
Gehäuseform	rechteckig
Werkstoff	Aluminium
Farbe	schwarz RAL 9004
Abmessungen	483x45x45 mm (1 HE)
Anzahl der SCHUKO-Steckdosen	6x DIN 49440, 45° gedreht
max. Leistungsaufnahme	250 V AC, 16 A, 4000 W
Zuleitung	1,8 m Länge, H05VV-F 3G 1,5 mm ² Netzstecker, DIN 49441, 90° abgewinkelt Kabel und Netzstecker sind VDE-zertifiziert
Schutzmechanismen	Überlastschutz (I _{max} 16 A) Überspannungsschutz (I _{max} 9 kA) Netzfilter, Frequenzfilter
LED Statusanzeige	Erdungskontrolle Überspannungsschutz Stromversorgung

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
6501736	STL 19-6 ÜF	2714-17-0001	4046725400073	1 Stück

**RED**[®]**SIMPLY. CONVINCING.**19 "socket strip, 6-way, aluminum black,
ÜSS + filter 45 ° angled 1.8 m connection cable

4 046725 400073



Performance features

The RED 19"6-way socket strip with overvoltage protection and interference filter stands for quality and safety in all areas

A high-quality aluminium housing in the colour black contains 6 DIN 49440 sockets for the peripherals. For optimal use the sockets are each angled at 45 ° for convenient space for angled plugs.

The socket strip is for installation in 19 " network and server cabinets and only requires 1 U. With the mounting brackets firmly attached to the side and the additional mounting sets available (DEHA number 6501739, 6501740) the socket strip can be perfectly used.

The 1.8 m long connection cable with the 90 ° angled CEE7 / 7 plug is VDE-tested.

DEHA number

6501736

Item number

2714-17-0001

EAN

4046725400073

label



19 “socket strip, 6-way, aluminum black,
ÜSS + filter 45 ° angled 1.8 m connection cable

Allgemeine Daten

Merkmale	
Housing shape	rectangular
Material	aluminium
Colour	black RAL 9004
Dimensions	483x45x45 mm (1 HE)
Number of SCHUKO socket outlets	6x DIN 49440, rotated 45°
Max.power consumption	250 V AC, 16 A, 4000 W
Cable	1.8 m long, H05VV-F 3G 1.5 mm ² main plug, DIN 49441, angled 90 ° The cable and power plug are VDE certified
Protection mechanisms	overload protection (I _{max} 16 A) overvoltage protection (I _{max} 9 kA) Line filter, frequency filter
LED status indicator	grounding control overvoltage protection Power supply

Order Data

DEHA no	Type	Item number	EAN	VPE
6501736	STL 19-6 ÜF	2714-17-0001	4046725400073	1 Piece