

Plug low voltage - with cable gland MULTI-GRIP



| Product description | |
|---------------------------|-----------------|
| BALS-Prd.-Nr | 4422 |
| EAN | 4024941044226 |
| Product category | ELV plug |
| Current | 16A |
| Number of poles | 2p |
| Arrangement of phases | 2P |
| Position of earth contact | no minor keyway |
| Voltage | 20 up to 25v |
| Frequency | 50/60Hz |

| Product description | |
|------------------------|--|
| Protection degree | IP44 |
| Colour code | violet RAL 4005 |
| Colour of appliance | Housing cover grey RAL 7035, Cable gland grey RAL 7035, Collar violet RAL 4005 |
| Connection design | with screw terminal |
| Maximum conductor size | 10,0 qmm |
| Cable entry | with cable gland |
| Height | 141mm |
| Width | 62mm |
| Depth | 57mm |
| Material of enclosure | Polyamide |
| Contacts | the contact carrier is made of polyamide, the contacts are brass nickel plated |

| Additional technical properties | |
|---------------------------------|--|
| | MULTI-GRIP cable gland with gasket and integrated strain relief, For cable diameter from 11 up to max. 23,5 mm |

| Logistics data | |
|----------------|------------------|
| Weight/pcs | 0.125 kg / Piece |
| Packaging | Bag |
| Content amount | 1 ST |
| EAN | 4024941044226 |

| Logistics data | |
|----------------|---------------|
| Length | 57 mm |
| Width | 62 mm |
| Height | 141 mm |
| Weight | 0.126 kg |
| Volume | 498.294 ccm |
| Packaging | Carton |
| Content amount | 10 ST |
| EAN | 4024941819435 |
| Length | 248 mm |
| Width | 158 mm |
| Height | 123 mm |
| Weight | 1.347 kg |
| Volume | 3,960 ccm |

