

## plug - with screwless terminals, for harsh applications



| Product description       |  |
|---------------------------|--|
| BALS-Prd.-Nr              | 210402   |
| EAN                       | 4024941104685  |
| Product category          | QUICK-CONNECT TE plug  |
| Current                   | 16A  |
| Number of poles           | 3p   |
| Arrangement of phases     | 2P+PE  |
| Position of earth contact | 1 h  |
| Voltage                   | > 50V for all other not classified voltages and/or frequencies. This time position can additionally process in special applications, in which a distinction to standardized positions needed to be used. |

| Product description    |  |
|------------------------|--|
| Protection degree      | IP44   |
| Colour code            | grey RAL 7035  |
| Colour of appliance    | Collar grey RAL 7035, Housing cover grey RAL 7035, Cable gland grey RAL 7035                             |
| Connection design      | screwless spring-clamp technology  |
| Maximum conductor size | 2,5 qmm  |
| Cable entry            | with cable gland   |
| Height                 | 147mm  |
| Width                  | 51mm   |
| Depth                  | 59mm   |
| Material of enclosure  | Polyamide  |
| Contacts               | The contact carrier is made of high temperature resistant material, the contacts are brass nickel plated |

| Additional technical properties |   |
|---------------------------------|---|
|                                 | MULTI-GRIP cable gland with gasket, integrated cable clamp and additional water evacuation openings, For cable diameter from 8 up to max. 18 mm |

| Logistics data |                  |
|----------------|------------------|
| Weight/pcs     | 0.124 kg / Piece |
| Packaging      | Bag              |
| Content amount | 1 ST             |
| EAN            | 4024941104685    |

| Logistics data |               |
|----------------|---------------|
| Length         | 59 mm         |
| Width          | 51 mm         |
| Height         | 147 mm        |
| Weight         | 0.125 kg      |
| Volume         | 442.323 ccm   |
| Packaging      | Carton        |
| Content amount | 10 ST         |
| EAN            | 4024941941792 |
| Length         | 248 mm        |
| Width          | 158 mm        |
| Height         | 123 mm        |
| Weight         | 1.337 kg      |
| Volume         | 3,960 ccm     |

