

TYPE APPROVAL CERTIFICATE

This is to certify:**That the Enclosure for Electrical Equipment**with type designation(s)
PK

Issued to

Rittal GmbH & Co. KG
Herborn, Hessen, Germanyis found to comply with
DNV GL rules for classification – Ships, offshore units, and high speed and light craft**Application :****Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.**Issued at **Hamburg** on **2019-09-27**for **DNV GL**This Certificate is valid until **2024-09-26**.DNV GL local station: **Essen**Approval Engineer: **Harald Amberger**

Arne Schaarmann
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.



Product description

Junction Box Type PK

Polycarbonate enclosures PK with knockouts in grey or without knockouts with grey or transparent cover

Material: fiber-glass reinforced polycarbonate
Sealing: Polyurethane

Range of enclosures:

	Width	Length	Depth
Minimum:	52	50	35
Maximum:	361	254	165

Version:
with metric knockouts, cover grey
without knockouts, cover: grey
without knockouts, cover: transparent

Halogen-free
Rated insulation voltage AC : $U_i=690V$, DC : $U_i=1000V$
Ingress protection : IP66
Impact resistance : IK08

Application/Limitation

Location Classes:
Temperature: A, Humidity: A, Vibration: B

Operating instruction of the manufacturer to be observed

Type Approval documentation

As per tech.-docs. in NPS 262.1-028980-1

Tests carried out

IEC 60670-22, damp heat, vibration, flame retardancy V-2 acc. UL 94, 5 inch flame acc. UL746C.

Marking of product

Rittal - Type designation - Main data.

Job Id: **262.1-032043-1**
Certificate No: **TAE00003NU**

Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the Type approval are complied with and that no alterations are made to the product design or choice of materials.

The main elements of the assessment are:

- Inspection on factory samples, selected at random from the production line (where practicable)
- Results from Routine Tests (RT) checked (if not available tests according to RT to be carried out)
- Review of type approval documentation
- Review of possible change in design, materials and performance
- Ensuring traceability between manufacturer's product type marking and Type Approval Certificate.

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE