




## LED STRIP VALUE








	EAN	l x w x h [mm]	V <sub>DC</sub>	W	W/m	lm	lm/m	lm/W	K	⊖ (°C)	∇	R <sub>a</sub>
LS V-500/827/5	4058075707795	5000 x 8 x 1.5	24V	24	5	2330	530	106	2700	-20...+55	120°	>80
LS V-500/830/5	4058075707818	5000 x 8 x 1.5	24V	24	5	2375	540	108	3000	-20...+55	120°	>80
LS V-500/840/5	4058075707832	5000 x 8 x 1.5	24V	24	5	2450	560	112	4000	-20...+55	120°	>80
LS V-500/865/5	4058075707856	5000 x 8 x 1.5	24V	24	5	2450	560	112	6500	-20...+55	120°	>80
LS V-1000/827/5	4058075707870	5000 x 8 x 1.5	24V	40	9	3960	970	108	2700	-20...+55	120°	>80
LS V-1000/830/5	4058075707894	5000 x 8 x 1.5	24V	40	9	4040	1000	111	3000	-20...+55	120°	>80
LS V-1000/840/5	4058075707917	5000 x 8 x 1.5	24V	40	9	4240	1040	116	4000	-20...+55	120°	>80
LS V-1000/865/5	4058075707931	5000 x 8 x 1.5	24V	40	9	4240	1040	116	6500	-20...+55	120°	>80
LS V-1500/827/5	4058075707955	5000 x 8 x 1.5	24V	60	13.2	5640	1345	102	2700	-20...+55	120°	>80
LS V-1500/830/5	4058075707979	5000 x 8 x 1.5	24V	60	13.2	5880	1410	107	3000	-20...+55	120°	>80
LS V-1500/840/5	4058075707993	5000 x 8 x 1.5	24V	60	13.2	6180	1490	113	4000	-20...+55	120°	>80
LS V-1500/865/5	4058075708013	5000 x 8 x 1.5	24V	60	13.2	6180	1490	113	6500	-20...+55	120°	>80
LS V-2000/827/5	4058075708037	5000 x 8 x 1.5	24V	70	16	6790	1695	106	2700	-20...+55	120°	>80
LS V-2000/830/5	4058075708051	5000 x 8 x 1.5	24V	70	16	6850	1760	110	3000	-20...+55	120°	>80
LS V-2000/840/5	4058075708075	5000 x 8 x 1.5	24V	70	16	7280	1820	114	4000	-20...+55	120°	>80
LS V-2000/865/5	4058075708099	5000 x 8 x 1.5	24V	70	16	7280	1820	114	6500	-20...+55	120°	>80

Length of supply wire (0,5 mm <sup>2</sup> wire cross-section)*	Max. meters of LED STRIP at T <sub>a</sub> =25°C**				
	<0,5m	1m	3m	6m	10m
LS V-500/8xx/5 IP00	14.9	14.5	14.0	13.4	12.8
LS V-1000/8xx/5 IP00	11.2	10.9	10.5	10.0	9.2
LS V-1500/8xx/5 IP00	10.3	9.9	9.4	8.7	7.8
LS V-2000/8xx/5 IP00	9.2	8.9	8.4	7.7	6.8






**A**








B


LS AY-CP/P2/500  
EAN:4058075727403


LS AY-CSD/P2  
EAN:4058075727526


1




2




3a





3b



4





C

