














SMART⁺ PLANON PLUS



	EAN	W	light source lm	output lm	K	Temp (°C)	V~	mA	Hz	DF	▽°	
SMART WIFIPLANPLUS RGBFR300X300RGBTW	4058075752603	18	1800	1300	2700-6500	-20...+40	220-240	80	50/60	>0.7	120	25000
SMART WIFIPLANPLUS RGBFR450X450RGBTW	4058075752627	24	2500	1750	2700-6500	-20...+40	220-240	100	50/60	>0.7	120	25000
SMART WIFIPLANPLUS RGBFR1200X300RGBTW	4058075752641	36	4000	2800	2700-6500	-20...+40	220-240	162	50/60	>0.9	120	25000
SMARTWIFIPLANPLUS HOLEBL450X450RGBTW	4058075752665	24	2500	1550	2700-6500	-20...+40	220-240	100	50/60	>0.7	120	25000
SMARTWIFIPLANPLUS HOLEBL1000X300RGBTW	4058075752689	36	4100	2700	2700-6500	-20...+40	220-240	162	50/60	>0.9	120	25000



	EAN	This product contains a light source of energy efficiency class	Contained Light Source
SMART WIFILANPLUS RGBFR 300X300RGBTW	4058075752603	E	
SMART WIFILANPLUS RGBFR 450X450RGBTW	4058075752627	E	
SMART WIFILAPLUS RGBFR1200X300RGBTW	4058075752641	E	
SMARTWIFILAPLUS HOLE BL450X450RGBTW	4058075752665	E	
SMARTWIFILAPLUS HOLE BL1000X300RGBTW	4058075752689	E	



Points de collecte sur www.quefairedemesdechets.fr

C10449057
G11136996
14.06.2022



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com