

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2210716-0
Report Reference E191125-20220321
Date 23-Mar-2022

Issued to: RITTAL GmbH & Co. KG
Auf dem Stuetzelberg Herborn 35745
Germany

**This is to certify that
representative samples of**

NMTR - Power Circuit and Motor-mounted Apparatus
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 508, 18th Ed., Issue Date: 2018-03-30

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2210716-0
Report Reference E191125-20220321
Date 23-Mar-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Angle bracket for support set (stabiliser) Cat. No. 9686.495	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Busbar E-Cu, slotted Cat. No. 9684.006	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Busbar E-Cu, slotted Cat. No. 9684.008	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Busbar E-Cu, slotted Cat. No. 9684.010	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Busbar E-Cu, slotted Cat. No. 9684.012	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Busbar support Cat. No. 9686.030	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Busbar support Cat. No. 9686.040	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Connection Plate for laminated copper bars Cat. No. 9640.330	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Connection Plate for laminated copper bars Cat. No. 9640.340	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Connection Plate for laminated copper bars Cat. No. 9640.350	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Connection plate for laminated copper bars Cat. No. 9650.330	VX25 Ri4Power Maxi-PLS 60 System
Connection Plate for laminated copper bars Cat. No. 9650.340	VX25 Ri4Power Maxi-PLS 60 System
End Supports Cat. No. 9649.010	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
End supports for Maxi-PLS busbars Cat. No. 9659.010	VX25 Ri4Power Maxi-PLS 60 System
Longitudinal connector E-Cu for busbar baying Cat. No. 9686.250	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Longitudinal connector E-Cu for busbar baying Cat. No. 9686.260	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2210716-0
Report Reference E191125-20220321
Date 23-Mar-2022

Maxi-PLS busbar, E-Cu for Maxi-PLS 45 S system Cat. No. 9640.207	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 45 S system Cat. No. 9640.237	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 45 S system Cat. No. 9640.267	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 45 S system Cat. No. 9640.297	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 45 system Cat. No. 9640.202	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 45 system Cat. No. 9640.232	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 45 system Cat. No. 9640.262	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 45 system Cat. No. 9640.292	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 60 system Cat. No. 9650.202	VX25 Ri4Power Maxi-PLS 60 System
Maxi-PLS busbar, E-Cu for Maxi-PLS 60 system Cat. No. 9650.232	VX25 Ri4Power Maxi-PLS 60 System
Maxi-PLS busbar, E-Cu for Maxi-PLS 60 system Cat. No. 9650.262	VX25 Ri4Power Maxi-PLS 60 System
Maxi-PLS busbar, E-Cu for Maxi-PLS 60 system Cat. No. 9650.292	VX25 Ri4Power Maxi-PLS 60 System
PE/PEN angle bracket Cat. No. 9686.350	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN baying bracket E-Cu Cat. No. 9686.529	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN baying bracket E-Cu Cat. No. 9686.539	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN baying bracket E-Cu Cat. No. 9686.549	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN baying bracket E-Cu Cat. No. 9686.589	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.520	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.522	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2210716-0
Report Reference E191125-20220321
Date 23-Mar-2022

PE/PEN Busbar E-Cu Cat. No. 9686.524	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.526	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.528	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.530	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.532	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.536	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.538	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.540	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.542	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.546	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.548	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.580	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.582	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.586	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.588	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2210716-0
Report Reference E191125-20220321
Date 23-Mar-2022

Retaining plate for cable connection space Cat. No. 9683.200	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Retaining plate for cable connection space Cat. No. 9683.210	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Sliding Block for Maxi-PLS busbars Cat. No. 9640.970	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Sliding Block for Maxi-PLS busbars Cat. No. 9640.980	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Sliding Blocks for Maxi-PLS busbars Cat. No. 9650.980	VX25 Ri4Power Maxi-PLS 60 System
Sliding Blocks for Maxi-PLS busbars Cat. No. 9650.990	VX25 Ri4Power Maxi-PLS 60 System
Sliding Nut for Maxi-PLS busbars Cat. No. 9640.900	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Sliding Nut for Maxi-PLS busbars Cat. No. 9640.910	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Sliding Nut for Maxi-PLS busbars Cat. No. 9640.920	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Sliding Nuts for Maxi-PLS busbars Cat. No. 9650.900	VX25 Ri4Power Maxi-PLS 60 System
Sliding Nuts for Maxi-PLS busbars Cat. No. 9650.910	VX25 Ri4Power Maxi-PLS 60 System
Sliding Nuts for Maxi-PLS busbars Cat. No. 9650.920	VX25 Ri4Power Maxi-PLS 60 System
Support set (stabiliser) for Connector kit E-Cu Cat. No. 9660.205	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Terminal Studs for Maxi-PLS Cat. No. 9640.370	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Terminal Studs for Maxi-PLS Cat. No. 9640.380	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Terminal studs for Maxi-PLS Cat. No. 9650.370	VX25 Ri4Power Maxi-PLS 60 System
Terminal Studs for Maxi-PLS Cat. No. 9650.380	VX25 Ri4Power Maxi-PLS 60 System
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9640.930	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9640.940	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9640.960	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.971	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.972	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.973	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.976	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.977	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2210716-0
Report Reference E191125-20220321
Date 23-Mar-2022

Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.981	VX25 Ri4Power Maxi-PLS 60 System
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.982	VX25 Ri4Power Maxi-PLS 60 System
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.983	VX25 Ri4Power Maxi-PLS 60 System
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.986	VX25 Ri4Power Maxi-PLS 60 System
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.987	VX25 Ri4Power Maxi-PLS 60 System



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2210273-0
Report Reference E191125-20220321
Date 23-Mar-2022

Issued to: RITTAL GmbH & Co. KG
Auf dem Stuetzelberg Herborn 35745
Germany

This is to certify that representative samples of NMTR7 - Power Circuit and Motor-mounted Apparatus
Certified for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 107.1-16, 4th Ed., Issue Date: 2016-06-01

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2210273-0
Report Reference E191125-20220321
Date 23-Mar-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Angle bracket for support set (stabiliser) Cat. No. 9686.495	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Busbar E-Cu, slotted Cat. No. 9684.006	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Busbar E-Cu, slotted Cat. No. 9684.008	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Busbar E-Cu, slotted Cat. No. 9684.010	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Busbar E-Cu, slotted Cat. No. 9684.012	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Busbar support Cat. No. 9686.030	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Busbar support Cat. No. 9686.040	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Connection Plate for laminated copper bars Cat. No. 9640.330	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Connection Plate for laminated copper bars Cat. No. 9640.340	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Connection Plate for laminated copper bars Cat. No. 9640.350	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Connection plate for laminated copper bars Cat. No. 9650.330	VX25 Ri4Power Maxi-PLS 60 System
Connection Plate for laminated copper bars Cat. No. 9650.340	VX25 Ri4Power Maxi-PLS 60 System
End Supports Cat. No. 9649.010	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
End supports for Maxi-PLS busbars Cat. No. 9659.010	VX25 Ri4Power Maxi-PLS 60 System
Longitudinal connector E-Cu for busbar baying Cat. No. 9686.250	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Longitudinal connector E-Cu for busbar baying Cat. No. 9686.260	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2210273-0
Report Reference E191125-20220321
Date 23-Mar-2022

Maxi-PLS busbar, E-Cu for Maxi-PLS 45 S system Cat. No. 9640.207	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 45 S system Cat. No. 9640.237	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 45 S system Cat. No. 9640.267	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 45 S system Cat. No. 9640.297	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 45 system Cat. No. 9640.202	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 45 system Cat. No. 9640.232	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 45 system Cat. No. 9640.262	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 45 system Cat. No. 9640.292	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Maxi-PLS busbar, E-Cu for Maxi-PLS 60 system Cat. No. 9650.202	VX25 Ri4Power Maxi-PLS 60 System
Maxi-PLS busbar, E-Cu for Maxi-PLS 60 system Cat. No. 9650.232	VX25 Ri4Power Maxi-PLS 60 System
Maxi-PLS busbar, E-Cu for Maxi-PLS 60 system Cat. No. 9650.262	VX25 Ri4Power Maxi-PLS 60 System
Maxi-PLS busbar, E-Cu for Maxi-PLS 60 system Cat. No. 9650.292	VX25 Ri4Power Maxi-PLS 60 System
PE/PEN angle bracket Cat. No. 9686.350	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN baying bracket E-Cu Cat. No. 9686.529	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN baying bracket E-Cu Cat. No. 9686.539	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN baying bracket E-Cu Cat. No. 9686.549	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN baying bracket E-Cu Cat. No. 9686.589	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.520	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.522	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2210273-0
Report Reference E191125-20220321
Date 23-Mar-2022

PE/PEN Busbar E-Cu Cat. No. 9686.524	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.526	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.528	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.530	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.532	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.536	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.538	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.540	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.542	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.546	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.548	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.580	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.582	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.586	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
PE/PEN Busbar E-Cu Cat. No. 9686.588	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2210273-0
Report Reference E191125-20220321
Date 23-Mar-2022

Retaining plate for cable connection space Cat. No. 9683.200	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Retaining plate for cable connection space Cat. No. 9683.210	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Sliding Block for Maxi-PLS busbars Cat. No. 9640.970	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Sliding Block for Maxi-PLS busbars Cat. No. 9640.980	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Sliding Blocks for Maxi-PLS busbars Cat. No. 9650.980	VX25 Ri4Power Maxi-PLS 60 System
Sliding Blocks for Maxi-PLS busbars Cat. No. 9650.990	VX25 Ri4Power Maxi-PLS 60 System
Sliding Nut for Maxi-PLS busbars Cat. No. 9640.900	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Sliding Nut for Maxi-PLS busbars Cat. No. 9640.910	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Sliding Nut for Maxi-PLS busbars Cat. No. 9640.920	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Sliding Nuts for Maxi-PLS busbars Cat. No. 9650.900	VX25 Ri4Power Maxi-PLS 60 System
Sliding Nuts for Maxi-PLS busbars Cat. No. 9650.910	VX25 Ri4Power Maxi-PLS 60 System
Sliding Nuts for Maxi-PLS busbars Cat. No. 9650.920	VX25 Ri4Power Maxi-PLS 60 System
Support set (stabiliser) for Connector kit E-Cu Cat. No. 9660.205	VX25 Ri4Power Busbar system Flat-PLS with Maxi-PLS 45 S, Maxi-PLS 45 or Maxi-PLS 60 Systems
Terminal Studs for Maxi-PLS Cat. No. 9640.370	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Terminal Studs for Maxi-PLS Cat. No. 9640.380	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Terminal studs for Maxi-PLS Cat. No. 9650.370	VX25 Ri4Power Maxi-PLS 60 System
Terminal Studs for Maxi-PLS Cat. No. 9650.380	VX25 Ri4Power Maxi-PLS 60 System
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9640.930	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9640.940	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9640.960	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.971	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.972	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.973	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.976	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.977	VX25 Ri4Power Maxi-PLS 45 s, Maxi-PLS 45 system

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2210273-0
Report Reference E191125-20220321
Date 23-Mar-2022

Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.981	VX25 Ri4Power Maxi-PLS 60 System
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.982	VX25 Ri4Power Maxi-PLS 60 System
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.983	VX25 Ri4Power Maxi-PLS 60 System
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.986	VX25 Ri4Power Maxi-PLS 60 System
Threaded bolts for sliding blocks and sliding nuts Cat. No. 9676.987	VX25 Ri4Power Maxi-PLS 60 System



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

